1973 AUTHORS INDEX

Asterisk indicates abstract

Abe, H.
see Kata, S.
see Sugitani, Y.

Abreau, C. M., Azizi, F., Vagenakis, A. G., Ingbar, S. H. and Braverman, L. E. Indirect indicator of serum-free thyroxine concentration, 159

Abreau, C. M., Vagenakis, A. G., Azizi, F., Portnay, G. and Braverman, L. E. Simultaneous measurement of total thyroxine and free thyroxine index, 740

Ackerholt, R. E., Blau, M., Bakshi, S. and Sondel, J. A. Comparison of skeletal agents, 375*

Adams, D. F. see Holman, B. L.

Adams, L. see Hutchinson, F.

Adams, R. and Zimmerman, D. Calculating Anger camera system deadtime, 496

Adelstein, S. J. see Holman, B. L.

Adiseshan, N. ^{87m}Sr lung scans in aspergillosis, 722

Adiseshan, N. see Buttfield, I. H.

Adolph, R. J. see Sodd, V. J.

Afiatpour, P. see Counsell, R. E.

Alazraki, N. P., Halpern, S. E., Ashburn, W. L. and Coel, M. Hyberbaric cisternography in humans, 226

Alazraki, N. P. see Halpern, S. E.

Albers, J. W., Sandeen, R. and Jenkins, D. Quality control tests for ^{99m}Tc-S colloid, 468*

Alderson, P. O. and Siegel, B. A. Adverse reactions following ^{111}In-DTPA cisternography, 609

Alderson, P. O. see Secker-Walker, R. H.

Alevizaki, C. C., Ikkos, D. G. and Singhelakis, P. Effect of age on calcium absorption, 760

Alexander, C. see Marsden, D. S.

Alexander, G. W.
see Saenger, E. L.
see Silberstein, E. B.

Alexander, J. L. see Gillespie, P. J.

Allen, D. R., Nelp, W. B., Cheney, F. W. and Hartnett, D. E. Lung circulation changes after MAA injection, 375*

Allen, J. H. see Patton, D.D.

Allen, M. see Cravitz, B.

Al-Sadir, J. see Harper, P. V.

Altman, R. see Serafini, A.

Alvarez-Cervera, J. see Raban, P.

Anderson, B. G., Beierwaltes, W. H., Harrison, T. S., Ansari, A. N. and Buswink, A. A. ^{14}C-dopamine concentration in pheochromocytomas, 376*

Anderson, B. G., Beierwaltes, W. H., Harrison, T. S., Ansari, A. N., Buswink, A. A. and Ice, R. D. Labeled dopamine concentration in pheochromocytomas, 781

Anderson, D P. see Lilien, D. L.

Anderson, T. M., Mintzer, R. A., Hoffer, P. B., Lusted, L. B., Smith, V. C. and Pokorny, J. Transmission of brain images, 376*

Anderson, T. M. see Tetalman, M. R.

Ando, A. see Hisada, K.

Anger, H. O. see Yano, Y.

Anger, R. T.
see Carroll, R. G.
see Miller, D. P.
see Wellman, H. N.

Anno, Y., Sasaki, T. and Iwamoto, M. Hypothyroidism following ^{131}I therapy for hyperthyroidism, 377*

Ansari, A. N., Atkins, H. L., Christman, D. R., Finn, R. D., Fowler, J. S., MacGregor, R. R., Wolf, A. P. and Bradley-Moore, P. Carrier-free dopamine hydrochloride-1-^{11}C, 377*

Ansari, A. N., Atkins, H. L., Christman, D. R., Fowler, J. S., Karlstrom, K. I., MacGregor, R. R., Bradley-Moore, P. R. and Wolf, A. P. ^{11}C-norepinephrine for myocardial scanning, 619*

Ansari, A. N.
see Anderson, B. G.
see Fowler, J. S.
see Lebowitz, E.

Antar, M. A. see Spencer, R. P.

Apau, R. see Waxman, A. D.

Ariel, I. M. and Padula, G. Internal radiation effect on spleen, 619*

Arnold, J. see Buttfield, I. H.

Arseneau, J. C. see Gelrud, L. G.

Artis, E. J. see McKamey, M. R.

Asard, P. E. see Nordlander, S.

Ash, J. M. and Gilday, D. L. CSF absorption of ^{111}In-DTPA in hydrocephalic children, 620*

Ashare, A. B. see Nishiyama, H.

Ashburn, W. L.
see Alazraki, N. P.
see Green, J. P.
see Halpern, S. E.
see Hurwitz, S. R.
see Kellam, R. O.

Ashkar, F. Automated T_4 test, 378*

Ashton, P. see Jones, T.

Askienazy, S., Marty, P., Bok, B., Verel, M. and Richard, L. Hardware device for anatomical landmarks, 378*

Atkins, H. L., Klopper, J. F., Hauser, W., Eckelman, W. and Richards, P. Evaluation of ^{99m}Tc-DTPA, 249

Atkins, H. L.
see Ansari, A. N.
see Fowler, J. S.
See Lebowitz, E.

Au, Y. F. see Nickles, R. J.

August, L. see Nishiyama, H.

August, L. S. see Sodd, V. J.

Azizi, F. see Abreau, C.

Azmudeh, A. see Chen, I-W.

Bahr, G. K. see Berke, R. A.

Bailey, J. J. see Gelfand, M. J.

Bailey, T. B. see Pinsky, S. M.

Baker, J. see Secker-Walker, R. H.

Bakshi, S. see Ackerholt, R. E.

Ball, D. see Higgins, H. P.

Baran, D. see Piepsz, A.

Barandes, M., Hurley, J. R. and Becker, D. V. Rapid intrathyroidal iodine turnover for ^{131}I therapy, 379*

Barker, D. C. Reduction in scan time with minification, 361

Bardfeld, P. A. and Rudin, S. Magnifying collimator use in brain imaging, 834

Bardfeld, P. A. and Rudin, S. Comparison of instant ^{99m}Tc from commercial suppliers, 880

Barnes, B. see Fish, M. B.

Barnes, M. see Henry, C. A.

Barnes, R. W. see McDonald, G. B.

Barrett, H. H. see De Meester, G.

Barth, R. F. see Gillespie, G. Y.

Bartone, N. see Yang, C-S.

Bassingthwaite, J. B. see Richmond, D. R.

Bastomsky, C. H., Horton, P. W. and Shimmins, J. Hepato-biliary excretion of ^{131}I-thyroxine-glucuronide and ^{131}I-rose bengal, 34

Basugi, N. see Sasaki, Y.

Bates, B. B. see Jones, R. H.

Bauer, T. J. see Brookeman, V. A.

Bautovich, G. see Lembares, N.

Baylink, D. see Chesnut, C. H.

Beck, R. N.
see Harper, P. V.
see Hoffer, P. B.

Becker, D. V.
see Barandes, M.
see Cahill, P. T.

Beckers, C., Cornette, C. and Thalasso, M. Radioimmunoassay of serum thyroxine, 317

Beg, K. see Johnson, P. M.

Beierwaltes, W. H.
see Anderson, B. G.
see Kirschner, A.
see Moses, D. C.
see Ryo, U. Y.
see Sturman, M. F.

Bekerman, C.
see Harper, P. V.
see Hoffer, P. B.

Belgrave, E. see Lebowitz, E.

Bell, R. L. see LeBlanc, A. D.

Benedetto, W. J. see Weber, D. A.

Benfield, J. R. see Morinari, H.

Bennett, K. R. see Smith, R. O.

Bennett, L. R.
see Bosnjakovic, V. B.

see Lilien, D. L.
see Verma, R. C.
see Wagner, M. S.
Benson, C. see O'Rourke, J.
Ben Zeev, D., Inbar, D., Klein, Y., Sabbah, B., Suhami, A., Yarom, A. and Zioni, Y. New concepts for imaging instruments, 379*
Bergan, J. J. see Henkin, R. E.
Berger, H. G.
see Krishnamurthy, G. T.
see Lilien, D. L.
Berke, R. A., Hoops, E. C., Kereiakes, J. C. and Saenger, E. L. Radiation dose to breast feeding child from ^{99m}Tc-MAA lung scan, 51
Berke, R. A., Saenger, E. L. and Bahr, G. K. Decision making in brain imaging, 850
Berke, R. A.
see Carroll, R. G.
see Nishiyama, H.
Berman, M. see Freedman, G.
Bernstein, J. R., Guiberteau, M. and Hoffer, P. B. Differentiating calvarial from cerebral lesions, 380*
Bertran, M. see Cahill, P. T.
Bessent, R. G. see Gray, H. W.
Billinghurst, M. W. Quality control of radiopharmaceutical kits, 362
Billinghurst, M. W. Chromatographic quality control, 793
Birdsall, R. see Neely, H. H.
Birnbaum, M. see Busse, W.
Black, M. B. Analysis of pancreas scintiphotos, 246
Black, P. and Cooper, M. Cisternography demonstration of posterior fossa cyst, 944
Blahd, W. H.
see Krishnamurthy, G. T.
see Pritchard, J. H.
see Tubis, M.
see Winston, M. A.
Blair, D. C., Carroll, M., Carr, E. A. and Fekety, F. R. ^{67}Ga-citrate for scanning staphylococcal abscesses, 99
Blair, R. J.
see Kallfelz, F. A.
see Subramanian, G.
Blanchon, P. see Raynaud, C.
Blau, L. M., Miller, D., Powell, M. D. and Levine, A. Matrix inversion technique, 620*
Blau, M.
see Ackerholt, R. E.
see Lathrop, K. A.
Blaufox, M. D. see Chervu, L. R.
Bloch, P. and Sanders, T. Effects of scatter on NaI(Tl) imaging system, 67
Bloch, P. and Sanders, T. Absorbed dose calculations, 879
Block, R. E. see King, A. G.
Blom, J. see Pinsky, S. M.
Bluestone, R. see Winston, M. A.
Blum, M., Chandra, R. and Drucker, W. D. Measuring serum thyroxine by the Tetralute procedure, 279
Blumin, L. J., Cavalieri, R. R., Kaufman, L. and Perez-Mendez, V. Pressurized multiwire proportional chamber, 620*
Bok, B., Perez, R., Panneciere, C. and Di Paola, R. Comparison of skeletal agents, 380*
Bok, B. see Askienazy, S.
Boller, F., Patten, D. H. and Howes, D. Brain scan correlation with neuropathological data, 381*
Bolles, T. F. see Jacksen, R. A.
Bonte, F. J., Graham, K. D., Moore, J. G., Parkey, R. W. and Curry, G. C. ^{99m}Tc-oleic acid complex for myocardial imaging, 381*
Bonte, F. J.
see Curry, G. C.
see Parkey, R. W.
see Stokely, E. M.
see Villarreal, R. L.
Bonwit, K. S. see Knowles, L. G.
Bonwit, S. E. see Knowles, L. G.
Borski, A. see Pinsky, S. M.
Bosnjakovic, V. B. Bilateral equally efficient radiocardiography, 621*
Bosnjakovic, V. B., Bennett, L. R., Greenfield, L. D. and Vincent, W. R. Dual-isotope diagnosis of intracardiac shunt, 514
Bostrom, S. E., Corman, J. L. and Brown, D. W. Liver studies after hepatic homotransplant, 382*
Boyce, C. L. and Johnston, G. S. Three methods for whole-body imaging, 469*
Boyce, C. L., Johnston, G. S. and Milder, M. S. Autoradiography with ^{67}Ga in melanoma, 468*
Braamer, S. R. see Grove, R. B.
Bradley-Moore, P. R.
see Ansari, A. N.
see Fowler, J. S.
see Lebowitz, E.
Branson, B. M., Hoops, R. G. and Grant, R. J. Personnel exposure in nuclear medicine, 382*
Braunstein, P., Hernberg, J. G. and Chandra, R. Reduction in scan time with minification, 362
Braunstein, P., Kricheff, I., Korein, J. and Corey, K. Cerebral death, 122
Braunstein, P. see Chandra, R.
Braverman, L. E. see Abreau, C. M.
Briedis, D., McIntyre, P. A., Judisch, J. and Wagner, H. N. Dual isotope method for measuring B_{12} absorption, 135
Bright, B. W. see Stevenson, J. S.
Brill, A. B.
see Dyer, N. C.
see Price, P. R.
Bronzino, J. see O'Rourke, J.
Brookeman, V. A. Spatial distortions in gamma camera images, 383*
Brookeman, V. A. Distribution of serum thyroxine levels, 660
Brookeman, V. A. T_3 extraction efficiencies in alcohols, 826
Brookeman, V. A. and Bauer, T. J. Collimator performance for scintillation camera systems, 21
Brookeman, V. A. and Williams, C. M. Screening tests of thyroid function, 721
Brookeman, V. A. see Sunderland, M. L.
Brown, D. W. see Bostrom, S. E.
Brown, T. L. see Grove, R. B.
Browne, A. see Wellman, H. N.
Brownell, G. L.
see Chesler, D. A.
see Hoop, B.
Brunhart, G. see Gray, F. C.
Bryan, D. see Waxman, A. D.
Buckingham, P. D. see Jones, T.
Budinger, T. F. High counting-rate performance of the Anger camera, 383*
Bulkley, G. B. see Milder, M. S.
Burdine, J. A.
see Holmquest, D. L.
see Murphy, P. H.
Burke, G.
see Halko, A.
see Lin, M. S.
Burnham, C. A. see Hoop, B.
Burrows, B. A. Editorial, nature of publications, 1
Burrows, B. A. Editorial Board, 483
Burrows, B. A. Editorial, radioimmunoassay, 549
Burrows, B. A. see Genna, S.
Busse, W., Reed, C., Tyson, I. and Birnbaum, M. Prolonged retention of ^{131}I in asthma, 837
Buswink, A. A. see Anderson, B. G.
Butler, R. L. see Fletcher, J. W.
Buttfield, I. H., Wrench, J. C., Adiseshan, N. and Arnold, J. Intravenous perchlorate in brain imaging, 543
Cahill, P. H., Bertran, M., Papoulis, A. and Becker, D. V. Methods of image restoration, 621*
Calderon, M. see Murphy, P. H.
Callahan, R. J. and Castronovo, F. P. Spatial distortions produced by the gamma camera, 125
Callahan, R. J. see Castronovo, F. P.
Cameron, J. L. see Eikman, E. A.
Cantor, R. E., Kramer, M. and Shapiro, B. Scoring index for kidney transplant evaluation, 384*
Cantor, R. see Shapiro, B.
Caride, V. J. Rectal absorption of $^{99m}TcO_4^-$ in dogs, 600
Caride, V. J., Witek, J. T., Touloukian, R. J. and Spencer, R. P. Hemorrhoidal vein injection technique, 384*
Carlton, W. H., Trueblood, J. H. and Rossomondo, R. M. Sequential imaging of lacrimal drainage, 89
Carr, E. A. see Blair, D.C.
Carroll, M. see Blair, D. C.
Carroll, R. G., Berke, R. A., Anger, R. T., Levine, G., Wellman, H. N. and Saenger, E. L. Multiple dose ^{133}Xe solution "generator", 935
Cassen, B. see Oldendorf, W. H.
Castellana, F. S., Drago, J. A., Pierson, R. N., Dagan, J. and

Lidofsky, L. J. Mathematical model of the cardiopulmonary circulation, 384*
Castellana, F. S. see Pierson, R. N.
Castronovo, F. P. pH monitoring of ^{137m}Ba-EDTA infusate, 341
Castronovo, F. P. Pharmaceutical toxicity, 719
Castronovo, F. P. and Callahan, R. J. Toxicity of ^{99m}Tc-Sn-diphosphonate, 774
Castronovo, F. P., Potsaid, M. S. and Pendergrass, H. P. Effect of radiation therapy on bone lesions, 604
Castronovo, F. P. and Wagner, H. N. Toxicity and pharmacodynamics of indium compounds, 677
Castronovo, F. P.
see Callahan, R. J.
see Houston, J.
Cavalieri, P. R. see Blumin, L. J.
Chandra, R., Braunstein, P., Streuli, F. and Hirsch, J. ^{134m}Cs, a new myocardial imaging agent, 243
Chandra, R., Shamoun, J., Braunstein, P. and DuHov, O. L. Instant kit for ^{99m}Tc-MAA, 702
Chandra, R.
see Blum, M.
see Braunstein, P.
Chandra, S. and Laor, Y. G. Liver scan in hepatic infarct, 858
Chang, C. C. see Spolter, L. S.
Charkes, N. D., Maier, W., Dugan, M. A., Soulen, R., Escovitz, E. and Dubin, R. ^{131}I-fibrinogen scans for deep-vein thrombosis, 385*
Charkes, N. D. see Dugan, M. A.
Charleston, D. B. see Harper, P. V.
Chaudhuri, Tapan K. Radiostrontium uptake in lungs, 723
Chaudhuri, Tapan K., Chaudhuri, Tuhin K. and Christie, J. H. ^{87m}Sr-strontium-calcium-phosphate complex for combined liver-lung scan, 346
Chaudhuri, Tapan K., Chaudhuri, Tuhin K. and Christie, J. H. ^{99m}Tc-DTPA measurement of gastric emptying time, 622*
Chaudhuri, Tapan K., Chaudhuri, Tuhin K., Go, R. T., Taube, R. R. and Christie, J. H. ^{87m}Sr uptake by liver metastases, 293
Chaudhuri, Tuhin K. see Chaudhuri, Tapan K.
Chen, I-W., Asmudeh, A., Connell, A. and Saenger, E. L. ^{14}C-tripalmitin breath test for pancreatic insufficiency, 622*
Chen, I-W., Park, H. M., King, L. R. and Goldsmith, R. E. Radioimmunoassay of parathyroid hormone, 385*
Chen, I-W. see Park, H. M.
Chen, M. see Larson, S.
Cheney, F. W. see Allen, D. R.
Cheng, K. K-S. see Fish, M. B.
Chervu, L. R., Lory, M., Liang, T., Lee, H. B., and Blaufox, M. D. Inhibitor concentration effect on plasma renin activity radioimmunoassay, 873
Chesler, D. A., Hoop, B. and Brownell, G. L. Transverse section imaging of myocardium with $^{13}NH_4^+$, 623*
Chesnut, C. H., Manske, E., Baylink, D. and Nelp, W. B. Comparison of total-body Ca and regional bone mass, 386*
Chiba, K.
see Matsui, K.
see Yamada, H.
Chiles, J. T., Mintzer, R. A., Hoffer, P. B. and Gottschalk, A. Spleen size and displacement, 386*
Chodos, R. B. Book Review; *Nuclear Medicine*, 187
Chretien, P. B. see Oldham, P. K.
Christie, J. H. see Chaudhuri, Tapan K.
Christman, D. R., Finn, R. D., Karlstrom, K. I. and Wolf, A. P. Carrier-free $H^{11}CN$ production and radiopharmaceutical synthesis, 864
Christman, D. R. see Ansari, A. N.
Christy, B. see King, A. G.
Clarke, L. P. see Mayer, K.
Cloutier, R. J., Watson, E. E., Rohrer, R. H. and Smith, E. M. Calculating the radiation dose to an organ, 53
Cloutier, R. J., Watson, E. E., Hayes, R. L., Nelson, B. and Smith, E. M. MIRD dose estimate report no 2; Ga isotopes, 755
Cloutier, R. J. see Watson, E. E.
Coates, G., DeNardo, S. J. and DeNardo, G. L. Pharmacokinetics of radioiodinated streptokinase, 623*
Coates, G. see Gilday, D. L.
Coble, C. see Serafini, A.
Coel, M.
see Alazraki, N. P.
see Halpern, S. E.
Cohen, M. B. see Spolter, L. S.
Cole, C. M. see Gray, F. C.
Coleman, R. E. see Metzger, J. M.
Coleman, M.
see Eikman, E. A.
see McIntyre, P. A.
Comar, D. see Raynaud, C.
Connell, A. see Chen, I-W.
Cooper, J. F. and Harbert, J. C. Asceptic meningitis following ^{131}I-HSA cisternography, 387*
Cooper, M., Sorandes, T. and Hagan, P. Pharmacodynamics of ^{99m}Tc-polyphosphate and $^{99m}TcO_4^-$, 624*
Cooper, M.
see Black, P.
see McKusick, K. A.
Cooper, P. H., Lerner, S. R. and Pircher, F. J. Deadtime losses in a scanner system, 828
Corey, K. see Braunstein, P.
Corman, J. L.
see Bostrom, D. E.
see Klingensmith, W. C.
Cornette, C. see Beckers, C.
Correll, J. E. see Hoop, B.
Coulam, C. M. see Richmond, D. R.
Counsell, R. E., Ranade, V. V., Kulkarni, G. and Afiatpour, P. Esters of radioiodinated cholesterol, 777
Cracchiolo, A. see Winston, M. A.
Cravitz, B., Allen, M. and Stewart, J. ^{99m}Tc-polyphosphate bone scanning, 469*
Creighton, J. M. see Hopkins, R. M.
Cumming, G. see Harding, L. K.
Cummings, G. R. and Rehfield, S. D. Preparation of ^{99m}Tc-HSA, 470*
Curl, F. B. see Harbert, J. C.
Curry, G. C., Parkey, R. W., Stokely, E. M. and Bonte, F. J. Effect of isoproterenol on coronary blood flow, 388*
Curry, G. C. see Bonte, F. J.
Czerniak, P. and Yershova, A. Differential diagnosis of parenchymal and obstructive jaundice, 388*
Dagan, J.
see Castellana, F. S.
see Pierson, R. N.
D'Ambrosia, R. see Stadalnik, R. C.
Damm, D. W., Reinke, D. B. and Dunn, B. J. Data storage and retrieval system, 470*
Datta, S. see Murthy, M. S. S.
Davis, M. A.
see Dewanjee, M. K.
see Holman, B. L.
Decostre, P. see Piepsz, A.
de Graff, M. see Kappes, R.
DeGrazia, J. A., Scheibe, P., Lucas, Z., Fair, W. and Vogel, J. Multicompartmental model for ^{131}I-Hippuran renography, 389*
DeLand, F. H. Biological behavior of ^{169}Yb-DTPA, 93
DeLand, F. H. Multiprobe collimator for the scintillation camera, 389*
DeLand, F. H. Splenic weight in radionuclide imaging, 390*
DeLand, F. H., Tilden, R. L., Jackson, J., Enneking, W. F. and McVey, J. T. Cellular location of ^{99m}Tc-polyphosphate, 390*
DeLand, F. H. and Tonkin, A. Serial liver scanning following jejunoileal bypass surgery, 390*
DeLand, F. H. see Tilden, R. L.
Delwaide, P. A. Body potassium measurement by whole-body counting, 40
DeMeester, G., Barrett, H. H. and Wilson, D. T. Fresnel zone plate imaging of large organs, 391*
DeNardo, G. L.
see Coates, G.
see Stadalnik, R. C.
Denney, J. D. see Marty, R.
Derenzo, S. E. see Zaklad, H.
Dewanjee, M. K., Fliegel, C. P., Holman, B. L. and Davis, M. A. Distribution of ^{99m}Tc-tetracycline, $^{99m}TcO_4^-$ and ^{67}Ga citrate in tumors, 624*
Dewanjee, M. K. and Prince, E. W. Cellular uptake of ^{99m}Tc-tetracycline and $^{99m}TcO_4^-$, 391*

Dewanjee, M. K. see Holman, B. L.
Diamanti, C. I. see Goodwin, D. A.
DiChiro, G. see Jones, A. E.
Dietz, G. W. see Villarreal, R. L.
DiGiulio, W. and Siebert, S. T. Thyroxine binding globulin by competitive protein-binding analysis, 392*
Dilts, C. A. see Valk, P. E.
Dimich, A. see Greenberg, E.
Dinwoodie, R.
see Krizek, H.
see Lathrop, K. A.
see Lembares, N.
DiPaola, P. see Henry, C. A.
DiPaola, R. see Bok, B.
Doby, T. Arteriovenous shunt measurements, 247
Donati, R. M.
see Fletcher, J. W.
see Henry, R. E.
Dore, E. K. see Gates, G. F.
Douglas ,S. D. see Keusch, G. T.
Drago, J. A. see Castellans, F. S.
Drewett, J. Lymph node scanning with ^{198}Au, 471*
Drucker, W. D. see Blum, M.
Dubin, R. see Charkes, N. D.
Dugal, P. see Eikman, E. A.
Dugan, M. A., Kozar, J. J., Ganse, G. and Charkes, N. D. Deep vein thrombosis localization with radioactive streptokinase, 233
Dugan, M. A. see Charkes, N. D.
DuHov, O. L. see Chandra, R.
Dunn, A. see Marsden, D. S.
Dunn, B. J. see Damm, D. W.
Dunson, G. L.
see Hosain, F.
see Stevenson, J. S.
Durrani, J. see O'Rourke, J.
Dutheil, M. see Raynaud, C.
Dworkin, H. J. Quality control of radiopharmaceutical kits, 364
Dwyer, A. see Freedman, G.
Dyer, N. C., Brill, A. B., Tsiantos, A. K., Sell, E., Victorin, L. H. and Stahlman, M. T. Intracranial bleeding in newborn infants, 807
Eastham, S. see Higgins, H. P.
Eber, L. M. see Poe, N. D.
Eckelman, W.
see Atkins, H. L.
see Robinowitz, M.
Eckelman, W. C. see Grove, R. B.
Edelstyn, G. A. see Gillespie, P. J.
Edwards, R. Q. see Kuhl, D. E.
Ehrhardt, J. C. Selective distribution of caval blood, 870
Ehrhardt, J. C., Lensink, S. C. and Oberly, L. W. Image formation in a scattering medium, 393*
Ehrhardt, J. C. see Oberly, L. W.
Eiff, K. see Meltzer, H.
Eikman, E. A., Cameron, J. L., Colman, M., Natarajan, T. K., Dugal, P. and Wagner, H. N. Radioactive tracers in acute cholecystitis diagnosis, 393*
Eikman, E. A. see McIntyre, P. A.
Eldh, P. see Holman, B. L.
Emmerson, D. A., O'Mara, R. E. and Lilien, D. L. ^{111}In-Bleomycin for tumor imaging, 625*
Endow, J. S.
see Krishnamurthy, G. T.
see Tubis, M.
see Winston, M. A.
Enneking, W. F.
see DeLand, F. H.
see Tilden, R. L.
Enenstein, J. see Halko, A.
Escovitz, E. see Charkes, N. D.
Esser, P. D. see Johnson, P. M.
Eyring, E. J. see Wanken, J. J.
Fair, W. see Degrazia, J. A.
Fairbanks, V. F. see Wahner-Roedler, D. L.
Fallat, R. J., Powell, M. R., Kueppers, F. and Lilker, E. ^{133}Xe ventilatory studies in α_1-antitrypsin deficiency, 5
Fang, V. see Hoffer, P. B.
Farmelant, M. H. Improved anatomical definition by a Fresnel zone plate imager, 393*
Farrer, P. A. and Saha, G. B. ^{111}In-DTPA for renal imaging and CFR measurement, 394*
Farrer, P. A. and Saha, G. B. Mechanism of ^{67}Ga uptake, 625*
Farrer, P. A., Saha, G. B. and Katz, M. ^{111}In-transferrin for bone marrow imaging, 394*
Farrer, P. A.
see Saha, G. B.
see Wexler, M. J.
Fekety, F. R. see Blair, D. C.
Fennessy, J. J. see McCartney, W. H.
Fieve, R. see Meltzer, H.
Finn, R. D.
see Ansari, A. N.
see Christman, D. R.
see Fowler, J. S.
Fish, M. B., Barnes, B. and Pollycove, M. Blood flow defects in cerebral vascular disease, 558
Fish, M. B., Pollycove, M., Wallerstein, R. O., Cheng, K. K-S. and Tono, M. Simultaneous absorption of B_{12} and B_{12}IF, 568
Flamm, M. D. see Strauss, H. W.
Fletcher, J. W., Butler, R. L., Henry, R. E., Solaric-George, E. and Donati, R. M. Bone marrow scanning in Paget's disease, 828
Fleigel, C. P.
see Dewanjee, M. K.
see Holman, B. L.
Flor, W. J., Stevenson, J. S. and James, A. E. Cisternography, gross pathology and ultrastructural changes in communicating hydrocephalus, 626*
Fordham, E. W.
see Rayudu, G. V. S.
see Shirazi, P. H.
Forse, G. R. see Jones, T.
Fortman, D. L. see Robbins, P. J.
Foster, A. see Patton, D. D.
Fowler, J. S., Ansari, A. N., Atkins, H. L., Bradley-Moore, P. R., MacGregor, R. R. and Wolf, A. P. ^{11}C-1-dopamine hydrochloride, 867
Fowler, G. W. and Williams, J. P. $^{99m}TcO_4^-$ brain scans in tuberous sclerosis, 215
Fowler, J. S., Finn, R. D., Lambrecht, R. M. and Wolf, A. P. Synthesis of ^{18}F-5-fluorouracil, 63
Fowler, J. S. see Ansari, A. N.
Francis, D. see Wellman, H. N.
Francis, M. D. see Silberstein, E. B.
Franco, J. see Kovaleski, B.
Frankel, R. S.
see Jones, A. E.
see Milder, M. S.
Fratkin, M. J. and Sharpe, A. R. ^{67}Ga localization of nontuberculous psoas abscess, 499
Freedman, G., Dwyer, A., Berman, M. and Wolberg, J. Time variation in cardiac flow/volume, 395*
Freedman, G., Schiff, M. and Zager, P. "Non-perfused" renal transplant, 395*
Freedman, G. see Lee, V. W.
Freeman, L. M.
see Koenigsberg, M.
see Liebeskind, A. L.
Freeman, L. see Raynaud, C.
Freeman, M. see Moss, M .L.
Friedman, A. see Rayudu, G. V. S.
Gaitan, E. see Gaitan, J. E.
Gaitan, J. E., Wahner, H. W. and Gaitan, E. T_3 and T_4 abnormalities following ^{131}I therapy, 396*
Ganatra, R. D. see Raikar, U. R.
Ganse, G. see Dugan, M. A.
Garnett, E. S. see Weisbaum, S. D.
Gaston, E. see Staub, R. T.
Gates, G. F. and Dore, E. K. Streamline flow in the human portal vein, 79
Gates, G. F. and Dore, E. K. Detection of premature craniosynostosis with ^{18}F, 397*
Gates, G. F., Gwinn, J. L., Lee, F. A. and Payne, V. C. Increase in extrahepatic ^{99m}Tc-S colloid, 537
Gates, G. F., Orme, H. W. and Dore, E. K. ^{99m}Tc-MAA evaluation of cardiac surgery in children, 398*
Gelfand, M. J., Green, M. V., Bailey, J. J. and Johnston, G. S. Handling of computer acquired radionuclide image data, 398*
Gelrud, L. G., Arseneau, J. C. and Johnston, G. S. ^{67}Ga localization in experimental abscesses, 399*
Genna, S., Zimmerman, S., Pang, S. C., Teager, H. M., Shore, H. and Burrows, B. A. Four-view dual nuclide brain imaging, 399*
Ghaed, N. see Thrall, J. H.
Giargiana, F. A. see Siegel, M. E.
Gibbs, W. D. see Watson, E. E.
Gilday, D. L., Coates, G. and Goldenberg, D. Diagnosing subdural hematoma with brain scan, 283
Gilday, D. L. and Kellam, J. ^{111}In-DTPA evaluation of CSF diversionary shunts in children, 399*

Gilday, D. L. and Kellam, J. ^{111}In-DTPA evaluation of diversionary shunts, 920
Gilday, D. L.
see Ash, J. M.
see Kilburn, E.
Gillespie, P. J., Alexander, J. L. and Edelstyn, G. A. Lung uptake during liver studies, 711
Gillespie, G. Y., Barth, R. F. and Gobuty, A. ^{99m}Tc labeling of nucleated mammalian cells, 400*
Gillespie, G. Y., Barth, R. F. and Gobuty, A. ^{99m}Tc labeling of nucleated mammalian cells, 706
Givelbar, H. M. see Oldham, R. K.
Glass, H. I. see Hegde, U. M.
Glassman, L. M. see Park, C. H.
Glenn, H. J. see Konikowski, T.
Gloria, I.
see Krizek, H.
see Lathrop, K. A.
see Lembares, N.
Go, R. T. and Ptacek, J. J. $^{99m}TcO_4^-$ uptake in choroid plexus of fourth ventricle, 352
Go, R. T. see Chaudhuri, Tapan K.
Gobuty, A. see Gillespie, G. Y.
Goldbarg, A. see Harper, P. V.
Goldberg, M. E.
see Kieffer, S. A.
see Moore, J.
Goldenberg, D. see Gilday, D. L.
Goldsmith, R. E. see Chen, I.-W.
Goldsmith, S. J. Image artifacts in tomographic camera systems, 103
Goldstein, R. E. see Kramer, R. J.
Goldstein, S. E. see Kramer, R. J.
Goluboff, L. G. Arachnoid cyst demonstrated by cisternography, 61
Goode, R. L. see Goodwin, D. A.
Goodenough, D. J. see Metz, C. E.
Goodwin, D. A., Lin, M. S., Diamanti, C. I., Goode, R. L. and Meares, C. F. ^{111}In-Bleomycin for tumor imaging, 401*
Goodwin, D. A. see Lin, M. S.
Goodwin, P. N. see Rao, D. V.
Goris, M. L. ^{123}I-bromsulphalein, 820
Gottschalk, A.
see Chiles, J. T.
see Pinsky, S. M.
Graham, K. D. see Bonte, F. J.
Graham, L. S., MacDonald, N. S., Robinson, G. D. and Llacer, J. Effect of positron energy on spatial resolution, 401*
Graham, L. S.
see Poe, N. D.
see Wagner, M. S.
Grames, G. M. and Jansen, C. Abnormal bone scan in cerebral infarction, 941
Grant, R. J. Separation and purification of ^{129}CsCl from cyclotron target, 471*
Grant, R. J. see Branson, B. M.
Gray, F. C., Cole, C. M., Meaburn, G. M. and Brunhart, G. Electron linear accelerator production of ^{43}K, 931
Gray, H. W., Pack, A., Bessent, R. G. and Greig, W. R. Arteriovenous difference error of early phase thyroid clearance, 238
Grebe, S. F. see Winsor, D. W.
Green, F. A. see Hays, M. T.
Green, J. P., Ashburn, W. L., Hurwitz, S. R. and Halpern, S. E. Sealed ^{99m}Tc sources for biopsy needle and catheter placement, 743
Green, J. P.
see Halpern, S. E.
see Hurwitz, S. R.
Green, M. V.
see Gelfand, M. J.
see Swann, S. J.
Greenberg, E., Zeitz, L., Dimich, A., Myers, W. P. L. and Laughlin, J. S. Bone mineralization measurements in bone disease, 402*
Greene, M. W. see Lebowitz, E.
Greenfield, L. D.
see Bosnjakovic, V. B.
see Wagner, M. S.
Greenfield, M. A. see Lane, R. G.
Gregora, V. see Raban, P.
Greig, W. R. see Gray, H. W.
Greyson, N. D. see Siegel, M. E.
Grieco, R. V. see Yang, C-S.
Grove, R. B., Eckelman, W. C. and Reba, R. C. Properties of ^{111}In-, ^{67}Ga-, and ^{59}Fe-Bleomycin, 627*
Grove, R. B., Eckelman, W. C. and Reba, R. C. Labeled Bleomycin distribution in mice, 917
Grove, R. B., Madewell, J. E., Rapp, G. S., Pinsky, S. M. and Johnson, M. C. ^{67}Ga citrate for evaluation of liver pathology, 402*
Grove, R. B., Pinsky, S. M., Brown, T. L., Braamer, S. R. and Johnson, M. C. ^{67}Ga citrate uptake in subacute thyroiditis, 403*
Grove, R. B., Lapiano, F., Pinsky, S. M. and Johnson, M. C. Orbital and retro-orbital lesion detection, 403*
Grove, R. B.
see Pinsky, S. M.
see Thrall, J. H.
Guiberteau, M. see Bernstein, J. R.
Guth, P. see Winston, M. A.
Gwinn, J. L. see Gates, G. F.
Gydesen, F. R. see Lowes, M.
Haddad, D. see Harbert, J. C.
Hagan, P. see Cooper, M.
Hagen, S. see Leyton, B.
Halko, A., Burke, G., Sorkin, A. and Enenstein, J. Renogram computer analysis, 253
Hall, I. E. see Shimmins, J. G.
Halpern, S. E. Optimizing brain agents, 618
Halpern, S. E., Alazraki, N. P., Kunsa, J., Coel, M., Littenberg, R., Waltz, T. and Ashburn, W. L. Hyperbaric cisternography in phantom and monkeys, 223
Halpern, S. E., Alazraki, N. P., Littenberg, R., Hurwitz, S. R., Green, J. P., Kunsa, J. and Ashburn, W. L. ^{123}I thyroid uptake, liquid vs. capsule, 507
Halpern, S. E.
see Alazraki, N. P.
see Green, J. P.
see Hurwitz, S. R.
see Leyton, B.
Hamamoto, K.
see Ishii, Y.
see Mori, T.
Hamburger, J. I. and Meier, D. A. Nontoxic autonomously functioning thyroid adenomata, 405*
Hamilton, D. R. Effect of benzodiazepine drugs on thyroid function studies, 472*
Hamilton, G. W. see McDonald, G. B.
Han, M. H. see Holman, B. L.
Hansell, J. R., Hauser, W. and Herrera, N. E. Quality evaluation program for nuclear medicine, 404*
Hansen, D. D. see McKamey, M. R.
Harbert, J. C., Curl, F. B. and Jones, G. W. Injection technique in radionuclide cerebral angiograms, 205
Harbert, J. C., Haddad, D. and McCullough, D. C. Quantitation of CSF shunt flow, 405*
Harbert, J. C., McCullough, D. C. and Reed, V. R. ^{131}I-HSA and ^{169}Yb-DTPA for cisternography, 405*
Harbert, J. C., Reed, V. R., and McCullough, D. C. ^{131}I-HSA and ^{169}Yb-DTPA for cisternography, 765
Harbert, J. C.
see Cooper, J. F.
see Robinowitz, M.
Harder, H. C. see Lange, R. C.
Harding, L. K., Horsfield, K., Singhal, S. S. and Cumming, G. Lung vessel blockage by albumin microspheres, 579
Harper, P. V., Al-Sadir, J., Mayorga, A., Bekerman, C., Goldbarg, A., Lembares, N. and Lathrop, K. A. Myocardial ischemia in $^{13}NH_3$ images, 405*
Harper, P. V., Stupka, J., Yasillo, N., Beck, R. N. and Charleston, D. B. Collimated coincidence detection system, 627*
Harper, P. V.
see Hoffer, P. B.
see Krizek, H.
see Lathrop, K. A.
see Lembares, N.
Harrison, J. E. see McNeill, K. G.
Harrison, K. S. see Som, P.
Harrison, T. S. see Anderson, B. G.
Hartnett, D. E. see Allen, D. R.
Harvey, W. C. and Silva, P. ^{51}Cr labeling of concentrated phagocytes, 890
Hatchette, J. B. Analysis of pancreas scintiphotos, 247
Hauser, W.
see Atkins, H. L.
see Hansell, J. R.
Hayes, R. L. see Cloutier, R. J.
Hayes, T. M. see Lin, M. S.
Haynie, T. P. see Konikowski, T.

Hays, M. T. Pertechnetate absorption and excretion, 331
Hays, M. T. and Green, F. A. In vitro studies of $^{99m}TcO_4^-$ binding, 149
Hays, M. T. and Katz, L. Thyroxine absorption in small intestinal disease, 406*
Hays, M. T. and Wesselossky, B. Pertechnetate and iodine uptakes, 785
Hayter, C. J. see Smith, A. H.
Heck, L. see Hoffer, P. B.
Hegde, U. M., Williams, E. D., Lewis, S. M., Szur, L., Glass, H. I. and Pettit, J. E. Splenic red cell volume measurement with ^{99m}Tc, 769
Heimpel, H. see Lohrmann, H-P.
Helbig, H. D. Focal iatrogenic radiocolloid uptake on liver scan, 354
Hellems, H. K. see Smith, R. O.
Henkin, R. E., Yao, J. S., Quinn, J. L. and Bergan, J. J. Isotope venography in vascular disease, 407*
Henry, C. A., Larsen, P., Tiffany, M., Barnes, M., Youdath, C., Lewis, C. and DiPaola, P. Photographic methods for camera image reproduction, 472*
Henry, R. E., Solaric-George, E. and Donati, R. M. Effect of granulocytopenia, drugs and infection on marrow reticuloendothelial patterns, 407*
Henry, R. E. see Fletcher, J. W.
Herbig, F. K. see Leone, C. L.
Hernberg, J. G. see Braunstein, P.
Herrera, N. E. see Hansell, J. R.
Herrin, W. F. see Robinson, R. G.
Herz, D. A. see Liebeskind, A. L.
Higgins, H. P., Ball, D. and Eastham, S. Twenty minute ^{99m}Tc thyroid uptake, 907
Hill, R. L. see Secker-Walker, R. H.
Hine, G. L. Book Review; *Nuclear Radiation Physics*, 187
Hiraki, T. see Hisada, K.
Hirsch, J. see Chandra, R.
Hirshfeld, J. see Kramer, R. J.
Hisada, K. and Ando, A. Radiolanthanides for tumor scanning, 615
Hisada, K., Ando, A., Hiraki, T., Takino, H. and Kurata, K. ^{169}Yb-citrate for tumor scanning, 408*
Hisada, K., Tonami, N., Hiraki, T. and Ando, A. Tumor scanning with ^{169}Yb-citrate, 772
Hodkinson, B. A. see McIntyre, P. A.
Hoffer, P. B., Harper, P. V., Beck, R. N., Stark, V., Krizek, H., Heck, L. and Lembares, N. Improved images with ^{133}Xe, 172
Hoffer, P. B., Lathrop, K. A., Refetoff, S., Fang, V. and Bekerman, C. Radioiodine labeled anti-CEA antibody for tumor scanning, 408*
Hoffer, P. B.
see Anderson, T. M.
see Bernstein, J. R.
see Chiles, J. T.
see McCartney, W. H.
see Nijensohn, E.
see Oldendorf, W. H.
see Tetalman, M. R.
Holman, B. L., Dewanjee, M. K., Idoine, J., Fliegel, C. P., Davis, M. A., Treves, S. and Eldh, P. ^{99m}Tc-tetracycline studies of experimental myocardial infarction, 595
Holman, B. L., Eldh, P., Adams, D. F., Han, M. H., Poggenburg, J. K. and Adelstein, S. J. ^{43}K for evaluation of myocardial perfusion, 274
Holman, B. L. see Dewanjee, M. K.
Holmes, R. A. Salivary gland scintigraphy, 409*
Holmquest, D. L. and Burdine, J. A. Caval-portal shunting, 348
Holmquest, D. see Wellisch, M.
Hook, G. see McRae, J.
Hoop, B., Smith, T. W., Burnham, C. A., Correll, J. E., Brownell, G. L. and Sanders, C. A. Myocardial imaging with $^{13}NH_4^+$, 181
Hoop, B. see Chesler, D. A.
Hoops, E. C. see Berke, R. A.
Hoops, R. G.
see Branson, B. M.
see Saenger, E. L.
Hopkins, G. B. Superior vena caval obstruction and liver scan hot spots, 883
Hopkins, G. B. and Kristensen, K. A. B. Sequential scintiphotography in subdural hematoma diagnosis, 288
Hopkins, G. B. and Kristensen, K. A. B. Early skull metastasis in bone cancer, 720
Hopkins, R. M., Creighton, J. M. and Van Deripe, D. R. Distribution and toxicity of ^{99m}Tc-pyrophosphate, 409*
Horsfield, K. see Harding, L. K.
Hortmann, A. G. see Straatman, M.
Horton, P. W. see Bastomsky, C. H.
Hosain, F., Hosain, P., Wagner, H. N., Dunson, G. L., and Stevenson, J. S. Comparison of ^{18}F, ^{87m}Sr and ^{99m}Tc-labeled phosphate compounds, 410*
Hosain, F. see Som, P.
Hosain, P. see Hosain, F.
Houston, J., Castronovo, F. P. and Potsaid, M. S. ^{99m}Tc-diphosphonate total-body bone scanning, 546
Howes, D. see Boller, F.
Howlett, L. see Kilburn, E.
Hsu, T. Effective thyroxine ratio evaluation, 472*
Hsu, T. see O'Rourke, J.
Huberty, J. see Powell, M. R.
Hughes, J. M. B. see Jones, T.
Hupf, H. B. see King, A. G.
Hurley, J. R. see Barandes, M.
Hurwitz, S. R. Brain scanning and echoencephalography in chronic subdural hematoma, 410*
Hurwitz, S. R., Ashburn, W. L., Green, J. P. and Halpern, S. E. Portable scintillation camera, 585
Hurwitz, S. R.
see Green, J. P.
see Halpern, S. E.
Hutchinson, F., Adams, L., Stewart, W. K. and Soave, A. Inhibitor concentration effect on plasma renin activity radioimmunoassay, 872
Huzak, V. Absorbed dose calculations, 876
Ice, R. D.
see Anderson, B. G.
see Kirschner, A.
see Sturman, M. F.
Idoine, J. see Holman, B. L.
Iio, M.
see Matsui, K.
see Yamada, H.
Ikeda, I. see Kato, S.
Ikkos, D. G. see Alevizaki, C. C.
Imaizumi, M. see Sugitani, Y.
Inbar, D. see Ben Zeev, D.
Ingbar, S. H. see Abreau, C. M.
Inkley, S. R. and MacIntyre, W. J. ^{133}Xe preoperative assessment in carcinoma, 410*
Inkley, S. R. and MacIntyre, W. J. ^{133}Xe measurement in lung, 490
Inouye, T., Sawada, N., Kashio, E. and Katsurada, M. Computer method for processing scintillation camera images, 411*
Ishii, Y., Mukai, T., Nomura, S., Ito, H., Mori, T., Hamamoto, K. and Torizuka, K. Comparative ventilation and perfusion studies in lungs, 411*
Ito, H. see Ishii, Y.
Ivancevic, D. see Price, P. R.
Iwamoto, M. see Anno, Y.
Jacksen, R. A., Bolles, T. F., Kubiatowicz, D. O. and Krejcarek, G. E. Technetium-mercaptide complexes for liver studies, 411*
Jackson, J.
see DeLand, F. H.
see Tilden, R. L.
Jacobstein, J. G. and Quinn, J. L. ^{133}Xe ventilation scanning after the ^{99m}Tc perfusion scan, 412*
Jacquot, C. See Raynaud, C.
Jahns, M. F. see Konikowski, T.
James, A. E. see Flor, W. J.
Jansen, C. see Grames, G.M.
Jasinski, W. K. see Mikolajków, A.
Jaszczak, R. J. Increasing scintillation camera resolving power, 14
Jenkins, D. See Albers, J .W.
Jhingran, S. G. and Johnson, P. C. Radionuclide angiography diagnosis of cerebrovascular disease, 265
Johnson, D. E. see Morinari, H.
Johnson, M. C.
see Grove, R. B.
see Pinsky, S. M.
see Thrall, J. H.
Johnson, P. C.
see LeBlanc, A. D.
see Jhingran, S. G.
Johnson, P. M., Vaughan, E. D., Beg, K., Esser, P. D. and Laragh, J. H. Dynamic renal imaging in hypertension, 628*

Johnson, R. E. see Oldham, R. K.
Johnston, C. see Wellman, H. N.
Johnston, G. S.
see Boyce, C. L.
see Gelfand, M. J.
see Gelrud, L. G.
see Jones, A. E.
see Kramer, R. J.
see Larson, S. M.
see Milder, M. S.
see Swann, S. J.
Johnston, R. E. see Lathrop, K. A.
Jones, A. E., Frankel, R. S., DiChiro, G. and Johnston, G. S. Brain scintigraphy with $^{99m}TcO_4^-$, ^{99m}Tc-polyphosphate and ^{67}Ga-citrate, 412*
Jones, A. E. see Swann, S. J.
Jones, G. R. see Kellam, R. O.
Jones, G. W. see Harbert, J. C.
Jones, H. see Jones, T.
Jones, R. H. and Bates, B. B. Gamma camera performance for dynamic studies, 413*
Jones, T., Hughes, J. M. B., Buckingham, P. D., Rhodes, C. G., Jones, H., Ashton, P. and Forse, G. R. Measurement of regional extravascular lung water, 414*
Jones, T., Pettit, J. E., Rhodes, C. G. and Waters, S. L. ^{81}Rb-^{81m}Kr ratio measurement of splenic blood flow, 414*
Judisch, J. see Briedis, D.
Kallfelz, A. see Subramanian, G.
Kallfelz, F. A., Subramanian, G., Blair, R. J. and McAfee, J. G. Long-term retention of ^{99m}Tc-labeled polyphosphate, diphosphonate and pertechnetate, 414*
Kaplan, E. see Mayron, L. W.
Kappes, R., de Graff, M. and Solomon, N. Scanning parameters,
Karlstrom, K. I.
see Ansari, A. N.
see Christman, D. R.
Kashio, E. see Inouye, T.
Kato, S., Kurata, K., Ikeda, I., Sakoh, T. and Abe, H. Electrolytic method for preparation of ^{99m}Tc-labeled compounds, 415*
Katsurada, M. see Inouye, T.
Katz, L. see Hays, M. T.
Katz, M. see Farrer, P. A. 473*
Kaufman, L. and Wilson, C. J. Extracellular fluid volume by fluorescent excitation analysis, 812
Kaufman, L.
see Blumin, L. J.
see Powell, M. R.
see Price, D. C.
see Williams, G.
Kay, D. B. see Keyes, J. W.
Kearney, J. J. see Moore, L. V.
Kellam, J. see Gilday, D. L.
Kellam, R. O., Jones, G. R. and Ashburn, W. L. Modification of digital tape recorder for Anger camera, 611
Kelly, G. L. see Robinson, R. G.
Kereiakes, J. C. see Berke, R. A.
Ketcham, A. S. see Milder, M. S.
Keusch, G. T. and Douglas, S. D. Screening test for chronic granulomatous disease, 591
Keyes, J. W., Kay, D. B. and Simon, W. Digital reconstruction of 3D images, 628*
Keyes, J. W., Wilson, G. A. and Quinones, J. D. Lung uptake of ^{99m}Tc-S colloid during liver imaging, 415*
Keyes, J. W., Wilson, G. A. and Quinones, J. D. Lung uptake during liver colloid studies, 687
Keyes, J. W.
see Weber, D. A.
see Wilson, G. A.
Khentigan, A. see Winstead, M. B.
Kieffer, S. A., Goldberg, M. E., Westreich, G. and Wolff, J. M. ^{99m}Tc-HSA cisternography in progressive dementia, 415*
Kieffer, S. A. see Moore, J.
Kilburn, E., Howlett, L. and Gilday, D. L. ^{99m}Tc-DTPA renal studies in children, 473*
King, A. G., Christy, B., Hupf, H. B. and Block, R. E. Polyphosphates; chain length and bone uptake, 695
King, L. R. see Chen, I.-W.
Kinney, B. J. see Krishnamurthy, G. T.
Kirchner, P. A. see Malmud, L. S.
Kirchner, P. T. and McKusick, K. A. Serendipity in cisternography, 59
Kirchner, P. T. see McKusick, K. A.
Kirschner, A. S., Ice, R. D. and Beierwaltes, W. H. Radiation dosimetry of ^{131}I-19-iodocholesterol, 416*
Kirschner, A. S., Ice, R. D. and Beierwaltes, W. H. Radiation dosimetry of ^{131}I-19-iodocholesterol, 713
Klein, Y. see Ben Zeev, D.
Klingensmith, W. C. and Ryerson, T. W. Lung uptake of ^{99m}Tc-sulfur colloid, 201
Klingensmith, W. C., Ryerson, T. W. and Corman, J. L. Lung uptake of ^{99m}Tc-sulfur colloid in organ transplantation, 757
Klopper, J. F. see Atkins, H. L.
Knapper, W. H. see Mayer, K.
Knowles, L. G., Bonwit, K. S., Bonwit, S. E., Kohlenstein, L. C. and Schulz, A. G. Visual evaluation of count differences in kidney imaging, 416*
Knowlton, A. H. see Spencer, R. P.
Kobayashi, T. see Sasaki, Y.
Koenigsberg, M. and Freeman, L. M. Intrahepatic focal lesion in acute viral hepatitis, 612
Kohlenstein, L. C. see Knowles, L. G.
Kollman, G. see Shapiro, B.
Konikowski, T., Glenn, H. J. and Haynie, T. P. Kinetics of ^{67}Ga compounds, 164
Konikowski, T., Glenn, H. J. and Haynie, T. P. Optimizing brain agents, 618
Konikowski, T., Glenn, H. J., Haynie, T. P. and Jahns, M. F. Comparison of radiopharmaceutical kinetics in mouse kidney, 417*
Kordela, P. A. see McKusick, K. A.
Korein, J. see Braunstein, P.
Kovaleski, B., Franco, J., Vanags, K. and Scheyer, M. Comparison of counterelectrophoresis and radioimmunoassay for hepatitis associated antigen, 417*
Kozar, J. J. and Stern, H. S. ^{99m}Tc-streptokinase preparation, 629*
Kozar, J. J. see Dugan, M. A.
Kramer, M. see Cantor, R. E.
Kramer, R. J., Goldstein, R. E., Hirshfeld, J., Roberts, W. C., Goldstein, S. E. and Johnston, G. S. Myocardial infarct imaging with ^{67}Ga-citrate, 418*
Krause, J. Evaluation of a new multi-crystal, 474*
Krejcarek, G. E. see Jacksen, R. A.
Kricheff, I. see Braunstein, P.
Krishnamurthy, G. T., Endow, J., Tubis, M. and Blahd, W. H. ^{99m}Tc-penicillamine cholescintigraphy, 418*
Krishnamurthy, G. T., Walsh, C. F., Kinney, B. J., Stichler, S., Shoop, L. E., Berger, H. G. and Blahd, W. H. ^{99m}Tc-polyphosphate bone scans and camera images, 419*
Krishnamurthy, G. T., Winston, M. A. and Blahd, W. H. Postoperative ^{131}I therapy in thyroid cancer, 419*
Krishnamurthy, G. T. see Tubis, M.
Kristensen, K. A. B. see Hopkins, G. B.
Krizek, H., Lembares, N., Dinwoodie, R., Gloria, I., Lathrop, K. A. and Harper, P. V. $^{13}NH_3$ production, 629*
Krizek, H. see Hoffer, P. B.
Krohn, K. A., Loberg, M. D., and Welch, M. J. Radioiodinated fibrinogen variation with method of preparation, 420*
Krohn, K. see Metzger, J. M.
Kronenberg, R. see Louken, M. K.
Kubiatowicz, D. O. see Jacksen, R. A.
Kueppers, F. see Fallat, R. J.
Kuhl, D. E. Observer performance and data smoothing, 876
Kuhl, D. E., Edwards, R. Q., Ricci, A. R. and Reivich, M. Quantitative section scanning using orthogonal tangent correction, 196
Kulkarni, P. G. see Counsell, R. E.
Kunsa, J. see Halpern, S. E.
Kunz, H. see Secker-Walker, R. H.
Kurata, K.
see Hisada, K.
see Kato, S.
Lacourciere, Y. see Lisbona, R.
Lamb, J. F. see Winstead, M. B.
Lambrecht, R. M., Norton, E. and Wolf, A. P. Kit for ^{123}NaI, 269

Lambrecht, R. M. see Fowler, J. S.
Lamoureux, K. B. see Swann, S. J.
Lane, R. G. and Greenfield, M. A. Absorbed dose calculation, 877
Lange, R. C., Spencer, R. P. and Harder, H. C. CIS-$Pt(NH_3)_2Cl_2$: distribution for ^{193m}Pt and ^{195m}Pt, 191
Langen, J. K. and Wagner, H. N. Record keeping system, 588
Laor, Y. G. see Chandra, S.
Lapiano, F. see Grove, R. B.
Laragh, J. H. see Johnson, P. M.
Larose, J. H. Whole-body immobilizer, 301
Larsen, P. see Henry, C. A.
Larsen, S., Chen, M. and Wagner, H. N. Radioassay for antibodies, 420*
Larson, S. M., Milder, M. S. and Johnston, G. S. Interpretation of the ^{67}Ga photoscan, 208
Larson, S. M.
see McIntyre, P. A.
see Milder, M. S.
see Oldham, R. K.
see Wiseman, J.
Lathrop, K. A., Dinwoodie, R., Gloria, I., Rich, B., Lembares, N. and Harper, P. V. ^{13}N-glutamate and ^{75}Se-selenomethionine for pancreas, 421*
Lathrop, K. A., Johnston, R. E., Blau, M., Rothschild, E. O. and Smith, E. M. Radiation dose estimates to humans from ^{75}Se-selenomethionine, 49
Lathrop, K. A.
see Harper, P. V.
see Hoffer, P. B.
see Krizek, H.
see Lembares, N.
Laughlin, J. S.
see Greenberg, E.
see Mayer, K.
Lazarevic, B. see Marsden, D. S.
LeBel, E. see Tran, N.
LeBlanc, A. D., Bell, R. L. and Johnson, P. C. Measurement of ^{127}I concentration by fluorescence, 816
Lebowitz, E., Greene, M. W., Bradley-Moore, P., Atkins, H. L., Ansari, A. N., Richards, P. and Belgrave, E. ^{201}Tl for medical use, 421*
Lee, F. A. see Gates, G. F.
Lee, G. see Waxman, A. D.
Lee, H. B. see Chervu, L. R.
Lee, J. I. see Lin, M. S.
Lee, V. W., Sano, R. and Freedman, G. Whole-body gamma camera imaging, 830
Legler, W. see Robinson, R. G.
Lehan, P. H. see Smith, R. O.
Leins, P. A. see Siemsen, J. K.
Lembares, N., Dinwoodie, R., Gloria, I., Lathrop, K. A., Bautovich, G. and Harper, P. V. $^{13}NH_3$ and ^{13}N-glutamate for tumor localization, 630*
Lembares, N.
see Harper, P. V.
see Hoffer, P. B.
see Krizek, H.
see Lathrop, K. A.
Lensink, S. C.
see Ehrhardt, J. C.
see Oberly, L. W.
Leon, S. see Shapiro, B.
Leone, C. L., Rosenfeld, S. D. and Herbig, F. K. Effect of focal point on image contrast, 474*
Leopold, G. see Leyton, B.
Lerner, S. R. see Cooper, P. H.
Levenson, N. I. see Sodd, V. J.
Levine, A. see Blau, L. M.
Levine, G. see Carroll, R. G.
Lewis, C. see Henry, C. A.
Lewis, J. T. see Nishiyama, H.
Lewis, S. M. see Hegde, U. M.
Leyton, B., Halpern, S. E., Leopold, G. and Hagen, S. Ultrasound and scintiscan studies of the liver, 27
Liang, J-C. see Yeh, S-H.
Liang, T. see Chervu, L. R.
Lidofsky, L. J. see Castellana F. S.
Liebeskind, A. L., Herz, D. A., Rosenthal, A. D. and Freeman, L. M. ^{131}I-HSA demonstration of spinal dural leaks, 356
Lilien, D. L., Berger, H. G., Anderson, D. P. and Bennett, L. R. ^{111}In-chloride for bone marrow imaging, 184
Lilien, D. L. see Emmerson, D. A.
Lilker, E. see Fallat, R. J.
Lin, D. H. see Pierson, R. N.
Lin, M. S. and Burke, G. Transferrin binding of indium, 882
Lin, M. S., Burke, G. and Lee, J. I. Early urinary excretion of ^{113m}In, 126
Lin, M. S. and Goodwin, D. A. ^{99m}Tc-Bleomycin preparation and pharmacodynamics, 422*
Lin, M. S., Hayes, T. M. and Goodwin, D. A. Radioaerosol for inhalation lung studies, 630*
Lin, M. S. see Goodwin, D. A.
Lin, T. H. see Winstead, M. B.
Lisbona, R., Lacourciere, Y. and Rosenthall, L. Aspergillomatous abscesses of the brain and thyroid, 541
Littenberg, R. see Halpern, S. E.
Llacer, J. see Graham, L. S.
Loberg, M. D., Phelps, M. E. and Welch, M. J. Carrier free ^{133}Xe preparation, 733
Loberg, M. D. see Krohn, K. A.
Loeser, J. D. see Rudd, T. G.
Lohrmann, H.-P. and Heimpel, H. ^{99m}Tc-red blood cells, 871
Loken, M. K., Payne, J. T., Ponto, R. A. and Kronenberg, R. Dual camera studies of lung function, 422*
Loken, M. K.
see Payne, J. T.
see Ponto, R. A.
Lopez-Majano, V. see Mayron, L. W.
Lory, M. see Chervu, L. R.
Lowes, M. and Gydesen, F. R. Evaluation of a ^{99m}Tc-MAA kit, 474*
Lowey, A. see Park, H. M.
Lucas, Z. see DeGrazia, J. A.
Lusted, L. B. see Anderson, T. M.
MacDonald, N. S.
see Graham, L. S.
see Neely, H. H.
see Poe, N. D.
see Robinson, G. D.
see Spolter, L. S.
MacGregor, R. R.
see Ansari, A. N.
see Fowler, J. S.
MacIntyre, W. J. see Inkley, S. R.
Madewell, J. E. see Grove, R. B.
Mahon, D. F., Subramanian, G. and McAfee, J. G. Radioactive agents for placental studies, 651
Maier, W. see Charkes, N. D.
Malmud, L. S., McKusick, K. A., Kirchner, P., Williams, G. M., Natarajan, T. K. and Wagner, H. N. Quantitative evaluation of renal transplant function, 423*
Malmud, L. S.
see McKusick, K. A.
see Merz, T.
Mangum, J. F. and Powell, M. R. Liver scintiphotography, 484
Manitasas, G. T. see Park, H. M.
Manske, E. see Chesnut, C. H.
Markham, J. see Secker-Walker, R. H.
Marsden, D. S., Alexander, C., Yeung, P., Dunn, A. and Lazarevic, B. ^{99m}Tc in gastric scintiphotography, 632*
Martin, N. D. see Strauss, H. W.
Marty, P. see Askienazy, S.
Marty, R. and Denney, J. D. Clinical comparison of ^{99m}Tc-diphosphate, ^{87m}Sr and ^{18}F, 423*
Maslow, D. E. ^{51}Cr and ^{14}C-labeled amino acids uptake by carcinoma cells, 84
Mason, M. see Mayer, K.
Mata, J. S. see Park, C. H.
Mathew, J. see Robinowitz, M.
Matsui, K., Yamada, H., Chiba, K. and Iio, M. Soft tissue uptake of ^{99m}Tc-phosphorous compounds, 632*
Maugham, E. see Mayer, K.
Mayorga, A. see Harper, P. V.
Mayer, K., Maugham, E., Clarke, L. P., Mason, M., Knapper, W. H., Tilbury, R. S. and Laughlin, J. S. Diagnosis of erythroid metaplasia by assay of splenic ^{52}Fe, 424*
Mayron, L. W., Lopez-Majano, V. and Kaplan, E. Sieving albumin microsperes with sonification, 511
McAfee, J. G.
see Kallfelz, F. A.
see Mahon, D. F.
see Subramanian, G.
McCartney, W. H., Fennessy, J. J. and Hoffer, P. B. Carcinoembryonic antigen titer in lung malignancy, 424*
McCartney, W. see Nijensohn, E.
McCormack, K. R. see Morita, E. T.
McCullough, D. C. see Harbert, J. C.

McDonald, G. B. and Hamilton, G. W. Segmental pulmonary arteriography, 631*
McDonald, G. B., Hamilton, G. W., Barnes, R. W., Rudd, T. G., Strandness, D. E. and Nelp, W. B. Radionuclide venography, 425*
McDonald, G. B., Hamilton, G. W., Barnes, R. W., Rudd, T. G., Strandness, D. E. and Nelp, W. B. Radionuclide venography, 528
McIff, B. see Siemsen, J. K.
McIntyre, P. A. ^{99m}Tc-red blood cells, 871
McIntyre, P. A., Larson, S. M., Scheffel, U., Hodkinson, B. A., Eikman, E. A., Colman, M. and Wagner, H. N. Metabolism of iron- and indium-transferrin by erythropoietic marrow, 425*
McIntyre, P. A. see Briedis, D.
McKamey, M. R., Artis, E. J. and Hansen, D. D. Radiopharmacology of ^{99m}Tc-Sn-P_2O_7, 426*
McKusick, K. A., Malmud, L. S., Kirchner, P. T. and Wagner, H. N. Artifact in kidney imaging, 113
McKusick, K. A., Malmud, L. S. and Wagner, H. N. Diagnosis of occult CSF rhinorrhea, 631*
McKusick, K. A., Malmud, L. S., Kordela, P. A. and Wagner, H. N. Nasal secretion of intrathecally injected ^{111}In-DTPA, 933
McKusick, K. A., Soin, J. S., Cooper, M. and Wagner, H. N. Regional lung function in obstructive disease, 427*
McKusick, K. A.
see Kirchner, P. T.
see Malmud, L. S.
see Merz, T.
see Soin, J. S.
McNeill, K. G. and Harrison, J. E. Neutron activation analysis in bone disease, 427*
McNeill, K. G., Thomas, B. J., Sturtridge, W. C. and Harrison, J. E. In vivo activation analysis for Ca, 502
McRae, J., Sugar, R., Hook, G., Shipley, B. and Yano, Y. Effect of Sn(II) on $^{99m}TcO_4^-$ metabolism, 428*
McRae, J.
see Valk, P. E.
see Yano, Y.
McVey, J. T.
see DeLand, F. H.
see Tilden, R. L.
Meaburn, G. M. see Gray, F. C.
Meade, R. C. see Yeh, E.
Meares, C. F. see Goodwin, D. A.
Mehter, A. see Subramanian, G.
Meier, D. A. see Hamburger, J. I.
Meindok, H. see Ter Brugge, K. G.
Meltzer, H., Fieve, R., Eiff, K. and Pierson, R. N. Displacement of body K by Rb, 633*
Merrick, M. V. Performing ^{18}F bone scans on the gamma camera, 65
Merrill, Q. see Telfer, N.
Merz, T., McKusick, K. A., Malmud, L. S. and Wagner, H. N. Phytohemagglutinin stimulation of ^{67}Ga uptake in lymphocytes, 428*
Metz, C. E. and Goodenough, D. J. Observer performance and scan smoothing, 873
Metzger, J. M., Secker-Walker, R. H., Coleman, R. E., Krohn, K. and Potchen, E. J. Four methods for radioiodination of fibrinogen, 429*
Metzger, J. M. and Ter-Pogassian, M. M. Myocardial blood flow measurement with $H_2{}^{15}O$, 429*
Miale, A. see Serafini, A.
Mikolajków, A. and Jasinski, W. K. Increased focal uptake of radiocolloid by the liver, 175
Milder, M. S., Frankel, R. S., Bulkley, G. B., Ketcham, A. S. and Johnston, G. S. ^{67}Ga scanning in malignant melanoma, 430*
Milder, M. S., Larson, S. M., Swann, S. J. and Johnston, G. S. False-positive liver scan due to breast prosthesis, 189
Milder, M. S.
see Boyce, C. L.
see Larson, S. M.
Miller, C. see O'Rourke, J.
Miller, D. see Blau, L. M.
Miller, D. P., Wellman, H. N. and Anger, R. T. Administration system for ^{133}Xe for lung ventilation studies, 475*
Miller, S. see Williams, G.
Mincey, E. K., Wilcox, E. and Morrison, R. T. Determination of serum and red cell folate, 633*
Mintzer, R. A.
see Anderson, T. M.
see Chiles, J. T.
Mitchell, M. L. Resin uptake of displaced ^{125}I-T_4, 336
Mitchell, T. G. Book Review; *Basic Medical Statistics*, 718
Monod, O. see Raynaud, C.
Moore, J., Goldberg, M. E. and Kieffer, S. A. Dynamic flow studies in intracranial tumors, 430*
Moore, J. G. see Bonte, F. J.
Moore, L. V. and Kearney, J. J. Tomocamera lung studies, 475*
Mori, T., Hamamoto, K. and Torizuka, K. ^{99m}Tc-Bleomycin for tumor imaging, 431*
Mori, T. see Ishii, Y.
Morinari, H., Shimada, K., Taplin, G. V., Johnson, D. E. and Benfield, J. R. Bronchial mucous transport after lung autotransplant, 432*
Morita, E. T., McCormack, K. R. and Weisberg, R. L. 'Hot spot' in the liver, 606
Morrison, R. T. see Mincey, E. K.
Morton, D. L. see Verma, R. C.
Morton, R. J. see Wagner, M. S.
Moses, D. C., Beierwaltes, W. H. and Sturman, M. F. Adrenal imaging with ^{131}I-cholesterol, 634*
Moses, D. C., Natarajan, T. K., Previosi, T. J., Udvarhelyi, G. B. and Wagner, H. N. Cerebral circulation studies with $^{99m}TcO_4^-$, 142
Moss, M. L. and Freeman, M. Scintiphotographic diagnosis of abruptio placentae, 297
Moyer, R. A. Comparison of multihole converging and pinhole collimators, 432*
Muehllehner, G. and Wellman, H. N. Collimator resolution versus sensitivity, 432*
Mukai, T. see Ishii, Y.
Mullins, J. Three phase cerebral vascular flow study, 476*
Murao, S. see Sasaki, Y.
Murphy, P. H., Burdine, J. A. and Calderon, M. Experimental converging collimator for the scintillation camera, 433*
Murthy, M. S. S., Venkataraman, G. and Datta, S. Revised parameters for Loevinger's beta point source, 846
Myers, W. G. ^{38}K for in vivo studies of dynamic processes, 359
Myers, W. P. L. see Greenberg, E.
Nakama, M. see Sugitani, Y.
Nardizzi, L. R. see Stokely, E. M.
Natarajan, T. K.
see Eikman, E. A.
see Moses, D. C.
see Malmud, L. S.
see Prokop, E. K.
see Rhodes, B. A.
Nathanson, N. see Som, P.
Neely, H. H., MacDonald, N. S., Takahashi, J., Birdsall, R. and Poe, N. D. Cyclotron production of ^{42}K, 433*
Nelp, W. B.
see Allen, D. R.
see Chesnut, C. H.
see McDonald, G. B.
see Rudd, T. G.
Nelson, B. see Cloutier, R. J.
Nelson, F. R. see Stevenson, J. S.
Nickles, R. J. and Au, Y. F. Oxygen clock, 634*
Nijensohn, E., McCartney, W. and Hoffer, P. B. Fluorescent thyroid scan artifact, 179
Nishiyama, H., Sodd, V. J., Ashare, A. B., Berke, R. A. and Saenger, E. L. ^{123}I and ^{131}I for thyroid disease, 434*
Nishiyama, H., Sodd, V. J., August, L. and Lewis, J. T. Tumor studies with ^{129}CsSl, 635*
Nishiyama, H. see Sodd, V. J.
Nomura, S. see Ishii, Y.
Nordlander, S., Wiklund, P. E. and Asard, P. E. Angioscintigraphy in brain death and coma, 856
Norton, E. see Lambrecht, R. M.
Novak, L. P. Total-body K during the first year of life, 550
Nukada, T. see Sugitani, Y.
Oberly, L. W., Lensink, S. C. and Ehrhardt, J. C. Radiation scatter in NaI imaging system, 878
Oberly, L. W. see Ehrhardt, J. C.
O'Brien, H. A. and Ogard, A. Prep-

aration of ^{85}Sr, ^{123}I, ^{127}Xe and ^{133}Cs, 635*
Ogard, A. see O'Brien, H. A.
Oldendorf, W. H., Phelps, M. E., Hoffer, P. B. and Cassen, B. K absorption edge measurement of tissue iodine, 434*
Oldham, R. K., Larson, S. M., Givelber, H. M., Chretien, P. B. and Johnson, R. E. ^{51}Cr-labeled platelets for evaluation of splenic sequestration in CLL, 219
O'Mara, R. E. see Emmerson, D. A.
Onstad, G. R. see Shafer, R. B.
Oppenheim, B. E. Non-hepatic to hepatic tissue activity ratio, 636*
Orme, H. W. see Gates, G. F.
O'Rourke, J., Durrani, J., Benson, C., Miller, C., Bronzino, J. and Hsu, T. ^{69}Zn concentration in the eye, 435*
Overton, T. R. see Snyder, R. E.
Oxley, D. K., Reeves, B. and Schmidt, L. Comparison of ^{85}Sr and ^{99m}Tc-polyphosphate for bone studies, 435*
Pack, A. see Gray, H. W.
Padula, G. see Ariel, I. M.
Palmer, H. E. Total-body calcium by ^{37}Ar measurement, 522
Pang, S. C. see Genna, S.
Pannaciere, C. see Bok, B.
Papoulis, A. see Cahill, P. T.
Park, C. H., Glassman, L. M., Thompson, N. L. and Mata, J. S. Renal imaging with ^{99m}Tc-polyphosphate, 534
Park, H. M., Chen, I.-W., Manitasas, G. T., Lowey, A. and Saenger, E. L. Evaluation of radioimmunoassay of digoxin, 531
Park, H. M., Smith, E. T. and Silberstein, E. B. Right to left shunt diagnosed by radionuclide angiocardiography, 240
Park, H. M.
see Chen, I. W.
see Silberstein, E. B.
Parker, J. A. see Secker-Walker, R. H.
Parkey, R. W. and Bonte, F. J. Scan of abdominal wall collateral venous blood pool, 110
Parkey, R. W.
see Bonte, F. J.
see Curry, G. C.
see Stokely, E. M.
Parrot, R. see Raynaud, C.
Patten, D. H. see Boller, F.
Patton, D. D., Allen, J. H., Staab, E. V. and Foster, A. 'Temporalis' activity in the brain scan, 436*
Patton, J. A. see Price, P. R.
Payne, J. T., Reinke, D. and Loken, M. K. Linear axial tomography, 436*
Payne, J. T.
see Loken, M. K.
see Ponto, R. A.
Payne, V. C. see Gates, G. F.
Peña, H. G. and Watts, R. S. ^{59}Fe-iron hydroxide retention in monkeys' lungs, 437*
Pendergrass, H. P. see Castronovo, F. P.
Perez, R. see Bok, B.
Perez-Mendez, V.
see Blumin, L. J.
see Powell, M. R.
Perry, R. R. Spatial distortions produced by the gamma camera, 125
Petit-Clerc, Y. Tomographic detector with true depth resolution, 437*
Pettit, J. E.
see Hegde, U. M.
see Jones, T.
Pfannenstiel, P. and Pixberg, H. U. Response of ^{131}I-labeled thyroid hormones to thyrotrophin releasing hormone, 437*
Phelps, M. E.
see Loberg, M. D.
see Oldendorf, W. H.
Piepsz, A., Decostre, P. and Baran, D. Pulmonary blood flow distribution in cystic fibrosis, 326
Pierson, R. N., Lin, D. H., Dagan, J. and Castellana, F. S. Quantitative radiocardiography measurement of left ventricular function, 438*
Pierson, R. N.
see Castellana, F. S.
see Meltzer, H.
see Price, D. C.
Pinsky, S. M., Bailey, T. B., Blom, J., Grove, R. B., Borski, A. and Johnson, M. C. ^{67}Ga-citrate in testicular malignancies, 439*
Pinsky, S. M., Gottschalk, A., Que, Y. L. and Johnson, M. C. Lung overlap in liver-lung scanning, 438*
Pinsky, S. M.
see Grove, R. B.
see Thrall, J. H.
Pircher, F. J. see Cooper, P. H.
Pitt, B.
see Prokop, E. K.
see Rigo, P.
see Wiseman, J.
Pittman, J. P. and Reager, M. H. Technical organization of nuclear medicine laboratories, 476*
Pixberg, H. U. see Pfannenstiel, P.
Poe, N. D., Eber, L. M., Graham, L. S. and MacDonald, N. S. ^{43}K and ^{129}Cs for myocardial imaging, 440*
Poe, N. D., Robinson, G. D. and MacDonald, N. S. Myocardial extraction of labeled fatty acids and carboxylates, 440*
Poe, N. D. and Selin, C. E. ^{129}Cs studies in experimental myocardial infarction, 439*
Poe, N. D. see Neely, H. H.
Poggenburg, J. K. see Holman, B. L.
Pokorny, J. see Anderson, T. M.
Pollycove, M. see Fish, M. B.
Ponto, R. A., Loken, M. K. and Payne, J. T. Dual isotope renal studies, 441*
Ponto, R. A. see Loken, M. K.
Porter, V. L. see Rhodes, B. A.
Portnay, G. see Abreau, C.
Potchen, E. J.
see Metzger, J. M.
see Secker-Walker, R. H.
Potsaid, M. S.
see Castronovo, F. P.
see Houston, J.
Powell, M. see Williams, G.
Powell, M. D. see Blau, L. M.
Powell, M. R., Huberty, J., Price, D. C., Kaufman, L. and Perez-Mendez, V. Multi-wire proportional chambers for imaging, 441*
Powell, M. R.
see Fallat, R. J.
see Mangum, J. F.
Previosi, T. J. see Moses, D. C.
Price D. see Williams, G.
Price, D. C., Wilson, C. J., Kaufman, L. and Pierson, R. N. Extracellular fluid volume determination by fluorescent excitation analysis of Br, 442*
Price, D. C. see Powell, M. R.
Price, P. R., Ivancevic, D., Patton, J. A. and Brill, A. B. CAMAC data acquisition system, 636*
Prince, E. W. see Dewanjee, M. K.
Pritchard, J. H., Winston, M. A. and Blahd, W. H. Radioisotope and ultrasonic imaging of kidneys, 442*
Prokop, E. K., Strauss, H. W., Natarajan, T. K., Pitt, B. and Wagner, H. N. ^{43}K and microsphere methods for myocardial studies, 443*
Ptacek, J. J. see Go, R. T.
Que, Y. L. see Pinsky, S. M.
Quinn, J. L.
see Henkin, R. E.
see Jacobstein, J. G.
Quinones, J. D. ^{99m}Tc-S colloid localization after RES stimulation, 443*
Quinones, J. D. see Keyes, J. W.
Raban, P., Gregora, V., Šindelář, J. and Alvarez-Cervera, J. Preparation of ^{99m}Tc- and ^{111}In- albumin microspheres, 344
Raikar, U. R. and Ganatra, R. D. Comparison of liver scan agents, 763
Ranade, V. V. see Counsell, R. E.
Rao, B. S. N. see Shenolikar, I. S.
Rao, D. V. and Goodwin, P. N. ^{203}Pb for skeletal imaging, 872
Rapp, G. S. see Grove, R. B.
Raynaud, C., Comar, D., Dutheil, M., Blanchon, P., Monod, O., Parrot, R. and Rymer, M. Lung cancer diagnosis with ^{67}Cu, 947
Raynaud, C., Jacquot, C. and Freeman, L. Renal uptake of $^{197}HgCl_2$, 444*
Rayudu, G. V. S., Shirazi, P. H., Friedman, A. and Fordham, E. W. ^{52}Fe(II)-citrate and ^{111}In-chloride for hemopoietic marrow scanning, 397*
Rayudu, G. V. see Shirazi, P. H.
Razzak, M. A. Selective distribution of caval blood, 870
Reager, M. H., Sopko, E. P. and

Pittman, J. P. ^{99m}Tc-polyphosphate whole-body imaging, 476*
Reager, M. H. see Pittman, J. P.
Reba, R. C. see Grove, R. B.
Reddington, B. see Thrall, J. H.
Reed, C. see Busse, W.
Reed, V. R. see Harbert, J. C.
Reeves, B. see Oxley, D. K.
Refetoff, S. see Hoffer, P. B.
Rehfield, S. D. see Cummings, G. R.
Reinke, D. B.
see Damm, D. W.
see Payne, J. T.
Reivich, M. see Kuhl, D. E.
Resnick, L. see Secker-Walker, R. H.
Rhodes, B. A. Arteriovenous shunt measurements, 248
Rhodes, B. A., Porter, V. L. and Natarajan, T. K. Distribution of arteriovenous anastomoses, 444*
Rhodes, B. A. see Siegel, M. E.
Rhodes, C. G. see Jones, T.
Ricci, A. R. see Kuhl, D. E.
Rich, B. see Lathrop, K. A.
Richard, L. see Askienazy, S.
Richards, A. G. Transferrin binding of indium, 881
Richards, P. see Atkins, H. L.
Richards, P. see Lebowitz, E.
Richmond, D. R., Yipintsoi, T., Coulam, C. M., Titus, J. L. and Bassingthwaighte, J. B. MAA studies of dog coronary circulation, 129
Riggins, R. S. see Stadalnik, R. C.
Rigo, P., Strauss, H. W. and Pitt, B. Left ventricular function in acute myocardial infarction, 445*
Rigo, P. see Wiseman, J.
Riley, R. C. see Robinson, R. G.
Robb, J. see Wellman, H. N.
Robbins, P. J., Silberstein, E. B. and Fortman, D. L. Comparison of ^{111}In-Bleomycin and $^{111}InCl_3$, 637*
Roberts, W. C. see Kramer, R. J.
Robinowitz, M., Mathew, J., Eckelman, W. and Harbert, J. C. Fatal reactions following ^{99m}Tc-Fe hydroxide lung scans, 445*
Robinson, G. D. ^{18}F-fluoroaliphatic analog synthesis, 446*
Robinson, G. D. and MacDonald, N. S. ^{18}F and ^{11}C-labeled carboxylates and alcohols, 446*
Robinson, R. G., Herrin, W. F., Legler, W., Youngberg, I. E., Riley, R. C. and Kelly, G. L. Computerization of the nuclear medicine laboratory, 447*
Robinson, G. D.
see Graham, L. S.
see Poe, N. D.
Rogers, W. L. and Ryo, U. Y. Sensitivity of ^{133}Xe ventilation studies, 447*
Rohrer, R. H. see Cloutier, R. J.
Romhilt, D. W. see Sodd, V. J.
Rosenthal, A. D. see Liebeskind, A. L.
Rosenthall, L. see Lisbona, R.
Rosenfeld, S. D. see Leone, C. L.
Rossomondo, R. M. see Carlton, W. H.
Rothschild, E. O. see Lathrop, K. A.
Rudd, T. G., Shurtleff, D. B., Loeser, J. D. and Nelp, W. B. CSF shunt function in children, 683
Rudd, T. G. see McDonald, G. B.
Rudin, S. see Bardfeld, P. A.
Ruetz, P. P. see Yeh, E.
Ryan, W. G. see Shirazi, P. H.
Ryerson, T. W. see Klingensmith, W. C.
Rymer, M. see Raynaud, C.
Ryo, U. Y. and Beierwaltes, W. H. ^{14}C-isoxazole distribution, 321
Ryo, U. Y.
see Rogers, W. L.
see Sturman, M. F.
Sabbah, B. see BenZeev, D.
Saenger, E. L., Hoops, R. G. and Alexander, G. W. Data handling in the nuclear medicine laboratory, 448*
Saenger, E. L.
see Berke, R. A.
see Carroll, R. G.
see Chen, I-W.
see Nishiyama, H.
see Park, H. M.
see Silberstein, E. B.
Saha, G. B. and Farrer, P. A. Evaluation of ^{99m}Tc-DTPA, 248
Saha, G. B. see Farrer, P. A.
Saito, I. see Sasaki, Y.
Sakoh, T. see Kato, S.
Samuels, L. D. see Wanken, J. J.
Sandeen, R. see Albers, J. W.
Sanders, A. P. ^{131}I-triolein absorption test, 300
Sanders, C. A. see Hoop, B.
Sanders, T. see Bloch, P.
Sankey, R. see Serafini, A.
Sano, K. see Sasaki, Y.
Sano, R. see Lee, V. W.
Sargent, N. see Winsor, D. W.
Sasaki, T. see Anno, Y.
Sasaki, Y., Murao, S., Basugi, N., Saito, I., Sano, K., Kobayashi, T. and Sugita, T. Regional cerebral blood flow measured by a semiconductor beta detector, 448*
Sawada, N. see Inouye, T.
Scheffel, U. see McIntyre, P. A.
Scheibe, P. see DeGrazia, J. A.
Scheyer, M. see Kovaleski, B.
Schiff, M. see Freedman, G.
Schmidt, L. see Oxley, D. K.
Schneider, P. B. Electrolytic preparation of ^{99m}Tc(Sn)-citrate, 843
Schulz, A. G. see Knowles, L. G.
Secker-Walker, R. H., Hill, R. L., Markham, J., Baker, J., Wilhelm, J., Alderson, P. O. and Potchen, E. J. Regional ventilation measurement, 725
Secker-Walker, R. H., Resnick, L., Kunz, H., Parker, J. A., Hill, R. L. and Potchen, E. J. Measurement of left ventricular ejection fraction, 798
Secker-Walker, R. H. see Metzger, J. M.
Selin, C. E. see Poe, N. D.
Sell, E. see Dyer, N. C.
Serafini, A., Altman, R., Sankey, R., Coble, C. and Miale, A. Evaluation of response to chemotherapy in Paget's disease, 449*
Shafer, R. B. and Onstad, G. R. ^{131}I-triolein absorption test marker, 449*
Shamoun, J. see Chandra, R.
Shapiro, B., Kollman, G., Leon, S. and Cantor, R. Anti-DNA antibody test for systemic lupus erythematosus, 450*
Shapiro, B.
see Cantor, R. E.
see Stahl, T. J.
Sharpe, A. R. see Fratkin, M. J.
Shenolikar, I. S. and Rao, B. S. N. Salt iodization with calcium iodate, 2
Shibata, K. see Yamada, H.
Shih, W.-J. see Yeh, S.-H.
Shimada, K. see Morinari, H.
Shimmins, J. G., Sumner, D. J. and Hall, I. E. Profile scanning optimization, 895
Shimmins, J. see Bastomsky, C. H.
Shipley, B. see McRae, J.
Shirazi, P. H., Rayudu, G. V. S. and Fordham, E. W. ^{75}F scan of extraosseous osteogenic sarcoma, 295
Shirazi, P. H., Rayudu, G. V. S., Ryan, W. G. and Fordham, E. W. Bone scanning in Paget's disease, 450*
Shirazi, P H., Stern, A. J., Sidell, M. S., Rayudu, G. V. S. and Fordham, E. W. Bone scanning in bronchogenic carcinoma, 451*
Shirazi, P. H. see Rayudu, G. V. S.
Shoop, L. E. see Krishnamurthy, G. T.
Shore, H. see Genna, S.
Shtasel, P. Screening procedure for renal artery hypertension, 451*
Shurtleff, D. B. see Rudd, T. G.
Sidell, M. S. see Shirazi, P. H.
Siebert, S. T. see DiGiulio, W.
Siegel, B. A. see Alderson, P. O.
Siegel, M. E., Giargiana, F. A., Rhodes, B. A., Greyson, N. D., White, R. I. and Wagner, H. N. Peripheral vascular perfusion scanning, 452*
Siemsen, J. K. Post-operative hepatic regeneration, 453*
Siemsen, J. K. Blood flow study terminology, 870
Siemsen, J. K. and Telfer, N. Regional ventilation studies at varying lung volumes, 453*
Siemsen, J. K., Waxman, A. D., Leins, P. A. and McIff, B. Differentiation of focal hepatic disease, 452*
Siemsen, J. K.
see Waxman, A. D.
see Winsor, D. W.
Silberstein, E. B. Urine collection in the Schilling test, 692
Silberstein, E. B., Francis, M. D., Tofe, A. and Saenger, E. L.

^{99m}Tc-diphosphonate distribution, 637*

Silberstein, E. B., Saenger, E. L., Tofe, A. J., Alexander, G. W. and Park, H. M. Bone studies with ^{99m}Tc-Sn-EHDP, ^{18}F and x-rays, 454*

Silberstein, E. B.
see Park, H. M.
see Robbins, P. J.

Silva, P. see Harvey, W. C.

Simon, W. see Keyes, J. W.

Šindelář, J. See Raban, P.

Singhal, S. S. see Harding, L. K.

Singhelakis, P. see Alevizaki, C. C.

Smith, A. H. and Hayter, C. J. ^{131}I-triolein absorption test, 299

Smith, E. M.
see Cloutier, R. J.
see Lathrop, K. A.

Smith, E. T. see Park, H. M.

Smith, R. O., Bennett, K. R., Lehan, P. H. and Hellems, H. K. ^{42}K studies following myocardial resection, 638*

Smith, R. O., Bennett, K. R., Suzuki, A., Lehan, P. H. and Hellems, H. K. ^{43}K serial imaging of coronary bypass grafts, 454*

Smith, T. W. see Hoop, B.

Smith, V. C. see Anderson, T. M.

Smits, R. G. see Zaklad, H.

Snyder, R. E. and Overton, T. R. System for handling and dispensing ^{133}Xe, 56

Soave, A. see Hutchinson, F.

Sodd, V. J., Romhilt, D. W., Adolph, R. J., Levenson, N. I., August, L. S. and Nishiyama, H. Myocardial infarction studies with ^{129}Cs, 455*

Sodd, V. J. see Nishiyama, H.

Soin, J. S., McKusick, K. A. and Wagner, H. U. Regional lung function in narcotic addicts, 455*

Soin, J. S. see McKusick, K. A.

Solaric-George, E.
see Fletcher, J. W.
see Henry, R. E.

Solomon, N. see Kappes, R.

Som, P., Tenorio, L. E., Hosain, F., Harrison, K. S., Wagner, H. N. and Nathanson, N. CSF clearance of ^{111}In- and ^{169}Yb-DTPA in disease, 638*

Sondel, J. A. see Ackerholt, R. E.

Sopko, E. P. see Reager, M. H.

Sorandes, T. see Cooper, M.

Sorkin, A. see Halko, A.

Soulen, R. see Charkes, N. D.

Spencer, R. P. Hepatic flow studies, 250

Spencer, R. P., Antar, M. A. and Touloukian, R. J. Liver size increase following splenectomy, 854

Spencer, R. P., Antar, M. A., Touloukian, R. J. and Knowlton, A. H. Splenomegaly relief following liver irradiation, 939

Spencer, R. P.
see Caride, V. J.
see Lange, R. C.

Spolter, L. S., Cohen, M. B., MacDonald, N. S., Troulman, B. and Chang, C. C. Tumor uptake of ^{13}N-NH_2, -L-glutamine and -L-glutamic acid, 456*

Staab, E. V. see Patton, D. D.

Stadalnik, R. C., Riggins, R. S., D'Ambrosia, R. and DeNardo, G. L. Femoral head circulation, 639*

Stahl, T. J. and Shapiro, B. Human thyrotropin radioimmunoassay in thyroid carcinoma, 900

Stahlman, M. T. see Dyer, N. C.

Stark, V. see Hoffer, P. B.

Staub, R. T. and Gaston, E. ^{111}In-chloride kinetics in hematologic disease, 456*

Stein, R. A. see Tubis, M.

Stelling, C. B. see Tetalman, M. R.

Stern, A. J. see Shirazi, P. H.

Stern, H. S. see Kozar, J. J.

Stevenson, J. S., Bright, R. W., Dunson, G. L. and Nelson, F. R. ^{99m}Tc-polyphosphate in bone healing, 457*

Stevenson, J. S. and Dunson, G. L. Cardiac changes with ^{99m}Tc-Sn-phosphates, 774

Stevenson, J. S.
see Flor, W. J.
see Hosain, F.

Stewart, J. see Cravitz, B.

Stewart, W. K. see Hutchinson, F.

Stichler, S. see Krishnamurthy, G. T.

Stokely, E. M., Nardizzi, L. R., Parkey, R. W. and Bonte, F. J. Regional myocardial perfusion data, 699

Stokely, E. M., Parkey, R. W., Nardizzi, L. R. and Bonte, F. J. Regional blood flow in the myocardium, 639*

Stokely, E. M. see Curry, G. C.

Straatman, M., Hortmann, A. G. and Welch, M. J. ^{11}C-acetoacetic acid preparation, 457*

Strandness, D. E. see McDonald, G. B.

Strauss, H. W., Zaret, B. L., Martin, N. D., Wells, H. P. and Flamm, M. D ^{43}K evaluation of regional myocardial perfusion, 458*

Strauss, H. W.
see Prokop, E. K.
see Rigo, P.
see Wiseman, J.

Streuli, F. see Chandra, R.

Stupka, J. see Harper, P. V.

Sturman, M. F., Beierwaltes, W. H., Ryo, U. and Ice, R. D. Imaging functional nodules of the adrenal glands, 458*

Sturman, M. F. see Moses, D. C.

Sturtridge, W. C. see McNeill, K. G.

Subramanian, G., Blair, R. J., Kallfelz, E. A., Thomas, F. D. and McAfee, J. G. ^{99m}Tc-methylene diphosphonate for bone studies, 640*

Subramanian, G., McAfee, J. G. and Blair, R. J. Pharmaceutical toxicity, 719

Subramanian, G., McAfee, J. G., Mehter, A., Blair, R. J. and Thomas, F. D. ^{99m}Tc-Sn-phytate for RES imaging, 459*

Subramanian, G.
see Kallfelz, F. A.
see Mahon, D. F.

Sugar, R. see McRae, J.

Sugita, T. see Sasaki, Y.

Sugitani, Y., Nakama, M., Yamauchi, Y., Imaizumi, M., Nukada, T. and Abe, H. Neovascularization and ^{99m}Tc-uptake in cerebral hematoma, 912

Suhami, A. see Ben Zeev, D.

Sumner, D. J. see Shimmins, J. G.

Sunderland, M. L. and Brookeman, V. A. Preparation of bolus ^{99m}Tc-S colloid, 230

Sunderland, M. L. and Brookeman, V. A. Preparation of bolus ^{99m}Tc-S colloid, 477*

Suwanik, R. see Tubis, M.

Suzuki, A. see Smith, R. O.

Swann, S. J., Johnston, G. S. and Green, M. V. Computer analysis to improve imaging, 477*

Swann, S. J., Jones, A. E., Johnston, G. S. and Lamoureux, K. B. Assessment of superior vena cava obstruction, 477*

Swann, S. J. see Milder, M. S.

Szur, L. see Hegde, U. M.

Takahashi, J. see Neely, H. H.

Takino, H. see Hisada, K.

Taplin, G. V. see Morinari, H.

Taube, R. R. see Chaudhuri, Tapan K.

Teager, H. M. see Genna, S.

Telfer, N., Weiner, J. M. and Merrill, Q. K exchange and Na distribution in chronic obstructive pulmonary disease, 459*

Telfer, N.
see Siemsen, J. K.
see Waxman, A. D.

Tenorio, L. E. see Som, P.

Teraro, Y. see Yamada, H.

Ter Brugge, K. G. and Meindok, H. Rim sign in brain imaging, 709

Ter-Pogossian, M. M. see Metzger, J. M.

Tetalman, M. R., Hoffer, P. B., Stelling, C. B. and Anderson, T. M. Efficacy of emergency lung scans, 460*

Thalasso, M. see Beckers, C.

Thomas, B. J. see McNeill, K. G.

Thomas, F. D. see Subramanian, G.

Thompson, N. L. see Park, C. H.

Thrall, J. H., Ghaed, N., Pinsky, S. M., Grove, R. B. and Johnson, M. C. ^{99m}Tc-polyphosphate bone scanning, 460*

Thrall, J. H., Reddington, B., Johnson, M. C. and Pinsky, S. M. Lymphatic dynamics with ^{99m}Tc-S colloid, 640*

Tiffany, M. see Henry, C. A.

Tilbury, R. S. see Mayer, K.

Tilden, R. L., Jackson, J., Ennekking, W. F., DeLand, F. H. and McVey, J. T. ^{99m}Tc-polyphosphate histologic localization, 576

Tilden, R. L. see DeLand, F. H.
Titus, J. L. see Richmond, D. R.
Tofe, A. J.
see Silberstein, E. B.
see Wellman, H. N.
Tonami, N. see Hisada, K.
Tonkin, A. see DeLand, F. H.
Tono, M. see Fish, M. B.
Torizuka, K.
see Ishii, Y.
see Mori, T.
Touloukian, R. J.
see Caride, V. J.
see Spencer, R. P.
Touya, J. J. see Verma, R. C.
Tran, N. and LeBel, E. Continuous flow ionization chamber for DOPA decarboxylase assay, 924
Treves, S. see Holman, B. L.
Troulman, B. see Spolter, L. S.
Trueblood, J. H. see Carlton, W. H.
Tsiantos, A. K. see Dyer, N. C.
Tubis, M., Blahd, W. H., Endow, J. S. Krishnamurthy, G. T., Stein, R. A. and Suwanik, R. ^{131}I- and ^{99m}Tc-metronidazoles for amebic hepatic abscess imaging, 461*
Tubis, M. see Krishnamurthy, G. T.
Tyson, I. see Busse, W.
Udvarhelyi, G. B. see Moses, D. C.
Vagenakis, A. G. see Abreau, C. M.
Valk, P. E., Dilts, C. A. and McRae, J. Possible artifact in gel chromatography of some ^{99m}Tc-chelates, 235
Vanags, K. see Kovaleski, B.
Van Deripe, D. R. see Hopkins, R. M.
Van Dyke, D. C. see Yano, Y.
Vaughan, E. D. see Johnson, P. M.
Venkataraman, G. see Murthy, M. S. S.
Verel, M. see Askienazy, S.
Verma, R. C., Bennett, L. R., Touya, J. J., Morton, D. L. and Witt, E. ^{111}In-Bleomycin for tumor studies, 641*
Victery, W. see Webber, M. M.
Victorin, L. H. see Dyer, N. C.
Villarreal, R. L., Dietz, G. W. and Bonte, F. J. Experimental pertechnetate mammography, 641*
Vincent, W. R. see Bosnjakovic, V. B.
Vogel, J. see DeGrazia, J. A.
Wagner, H. N.
see Briedis, D.
see Castronovo, F. P.
see Eikman, E. A.
see Hosain, F.
see Langen, J. K.
see Larson, S.
see Malmud, L. S.
see McIntyre, P. A.
see McKusick, K. A.
see Merz, T.
see Moses, D. C.
see Prokop, E. K.
see Siegel, M .E.
see Soin, J. S.
see Som, P.
see Wiseman, J.
Wagner, M. S., Morton, R. J., Graham, L. S., Greenfield, L. D. and Bennett, L. R. Quantitative cisternography with ^{111}In-DTPA, 462*
Wahner, H. W. see Gaitan, J. E.
Wahner-Roedler, D. L. and Fairbanks, V. F. Cobalt excretion test, 462*
Wallerstein, R. O. see Fish, M. B.
Walsh, C. F. see Krishnamurthy, G. T.
Walton, P. W. Aperture imaging system with decoding and tomographic abilities, 861
Waltz, T. see Halpern, S. E.
Wanken, J. J., Eyring, E. J. and Samuels, L. D. Diagnosis of pediatric bone lesions, 803
Waters, S. L. see Jones, T.
Watson, E. E., Cloutier, R. J. and Gibbs, W. D. Whole-body retention of ^{67}Ga-citrate, 840
Watson, E. E. see Cloutier, R. J.
Watts, R. S. see Peña, H. G.
Waxman, A. D., Apau, R. and Siemsen, J. K. Hepatic flow studies, 250
Waxman, A. D., Bryan, D. and Siemsen, J. K. Bone scanning in the drug abuse patient, 647
Waxman, A. D., Lee, G. and Siemsen, J. K. ^{67}Ga in differential diagnosis of brain tumors, 463*
Waxman, A. D., Lee, G., Wolfstein, R. and Siemsen, J. K. Differential diagnosis of brain lesions, 903
Waxman, A. D., Telfer, N. and Siemsen, J. K. Dynamic imaging of the spleen, 463*
Waxman, A. D., Telfer, N. and Siemsen, J. K. Dynamic imaging of the spleen, 582
Waxman, A. D. see Siemsen, J. K.
Webber, M. M. and Victery, W. Electrophoretic mobility and charge of MAA, 463*
Weber, D. A., Keyes, J. W., Benedetto, W. J. and Wilson, G. A. ^{99m}Tc-Sn pyrophosphate kinetics, 642*
Weber, D. A. see Wilson, G. A.
Weiner, J. M. see Telfer, N.
Weisbaum, S. D. and Garnett, E. S. Brain scan in Schilder's disease, 291
Weisberg, R. L. see Morita, E. T.
Welch, M. J.
see Krohn, K. A.
see Loberg, M. D.
see Straatman, M.
Wellisch, M. and Holmquest, D. Diagnosis of pancreatic pseudocyst, 107
Wellman, H. N., Anger, R. T., Browne, A., Tofe, A. J., Francis, D., Khairi, R. and Johnston, C. Bone studies with ^{99m}Tc-Sn-EHDP and $Na^{18}F$, 464*
Wellman, H. N., Robb, J., Khairi, R. and Johnston, C. Bone scan and x-ray in Paget's disease, 464*
Wellman, H. N.
see Carroll, R. G.
see Miller, D. P.
see Muehllehner, G.
Wells, H. P. see Strauss, H. W.
Wesselossky, B. see Hays, M. T.
Westreich, G. see Kieffer, S. A.
Wexler, M. J. and Farrer, P. A. ^{131}I-rose bengal metabolism in liver transplants, 465*
White, R. I. see Siegel, M. E.
Wiklund, P. E. see Nordlander, S.
Wilcox, E. see Mincey, E. K.
Wilhelm, J. see Secker-Walker, R. H.
Williams, C. M. see Brookeman, V. A.
Williams, E. D. see Hegde, U. M.
Williams, G., Kaufman, L., Powell, M., Miller, S. and Price, D. Image storage system for the scintillation camera, 465*
Williams, G. M. see Malmud, L. S.
Williams, J. O. Inadvertent intra-arterial injection of MAA particles, 249
Williams, J. P. see Fowler, G. W.
Wilson, C. J.
see Kaufman, L.
see Price, D. C.
Wilson, D. T. see DeMeester, G.
Wilson, G. A., Keyes, J. W. and Weber, D. A. Evaluation of camera system deadtime, 642*
Wilson, G. A.
see Keyes, J. W.
see Weber, D. A.
Winchell, H. S. see Winstead, M. B.
Winsor, D. W., Grebe, S. F., Sargent, N. and Siemsen, J. K. Pulmonary concentration of ^{67}Ga in pneumoconiosis, 466*
Winstead, M. B., Lamb, J. F. and Winchell, H. S. ^{11}C-carboxylates preparation and distribution, 747
Winstead, M. B., Lin, T. H., Khentigan, A., Lamb, J. F. and Winchell, H. S. ^{11}C-labeled nitriles and hydantoins, 643*
Winston, M. A., Bluestone, R., Cracchiolo, A. and Blahd, W. H. Radioisotope synevectomy with ^{32}P-chromic phosphate, 886
Winston, M. A., Guth, P., Blahd, W. H. and Endow, J. S. Urecholine and pancreazymin enhancement of pancreas studies, 643*
Winston, M. A.
see Krishnamurthy, G. T.
see Pritchard, J. H.
Wiseman, J., Straus, H. W., Pitt, B., Rigo, P., Larson, S. M. and Wagner, H. N. ^{67}Ga-citrate heart studies in bacterial endocarditis, 644*
Witek, J. T. see Caride, V. J.
Witt, E. see Verma, R. C.
Wolberg, J. see Freedman, G.
Wolf, A. P.
see Ansari, A. N.
see Christman, D. R.
see Fowler, J. S.
see Lambrecht, R. M.
Wolff, J. M. see Kieffer, S. A.
Wolfstein, R. see Waxman, A. D.
Wrench, J. C. see Buttfield, I. H.

Wyburn, J. R. Human breast milk excretion of radionuclides, 115
Yamada, H., Chiba, K., Iio, M., Shibata, K. and Terao, Y. New radioimmunoassay method, 466*
Yamada, H. see Matsui, K.
Yamauchi, Y. see Sugitani, Y.
Yang, C.-S., Grieco, R. V. and Bartone, N. "Clear plate" anatomic orientation technique, 644*
Yano, Y., McRae, J., Van Dyke, D. C. and Anger, H. O. ^{99m}Tc-Sn-EHDP for bone scanning, 73
Yano, Y. see McRae, J.
Yao, J. S. see Henkin, R. E.
Yarom, A. see Ben Zeev, D.
Yasillo, N. see Harper, P. V.
Yeh, E. ^{67}Ga window in Ohio-Nuclear scanner, 361
Yeh, E. and Meade, R. C. Quantitative analysis of brain scans, 176
Yeh, E., Meade, R. C. and Ruetz, P. P. Radionuclide study of struma ovarii, 118
Yeh, S.-H., Shih, W.-J. and Liang, J.-C. Delayed $^{99m}TcO_4^-$ brain scanning in chronic subdural hematoma, 467*
Yeh, S.-H., Shih, W.-J. and Liang, J.-C. Intravenous radionuclide hepatography, 565
Yershova, A. see Czerniak, P.
Yeung, P. see Marsden, D. S.
Youdath, C. see Henry, C. A.
Youngberg, I. E. see Robinson, R. G.
Yipintsoi, T. see Richmond, D. R.
Zager, P. see Freedman, G.
Zaklad, H., Derenzo, S. E. and Smits, R. G. Liquid xenon gamma camera, 645*
Zaret, B. L. see Strauss, H. W.
Zeitz, L. see Greenberg, E.
Zimmerman, D. see Adams, R.
Zimmerman, S. see Genna, S.
Zioni, Y. see Ben Zeev, D.

1973 SUBJECT INDEX

Asterisk indicates abstract

Abscess
aspergillomatous, brain and thyroid, $^{99m}TcO_4^-$, 541
^{67}Ga-citrate uptake, in monkeys, 399*
liver, extrahepatic ^{99m}Tc-S colloid uptake, 537
liver, ^{131}I- and ^{99m}Tc-metronidazole imaging, 461*
nontuberculous psoas, ^{67}Ga scan, 499
staphylococcal, ^{67}Ga-citrate scans, in rats, 99
Abdomen
abnormal structures in liver flow studies, 250
injury, pancreatic pseudocyst diagnosis, 107
wall, venous blood pool in cirrhosis, 110
Acetylsalicylic acid
effect on $^{99m}TcO_4^-$ serum binding, in vitro, 149
Adrenal glands
^{11}C-dopamine hydrochloride, preparation, distribution, in animals, 377*, 867
^{14}C-dopamine uptake in pheochromocytoma, 376*, 781
^{14}C-isoxazole distribution in carcinoma, 321
effect of disease on total-body K, 40
^{125}I-iodocholesterol esters, preparation, distribution, in rats, 777
^{131}I-19-iodocholesterol, dosimetry, 416*, 713
^{131}I-19-iodocholesterol imaging, 458*; in children, 634*
Adverse reactions
^{131}I-IHSA, intrathecal injection, 387*
^{111}In-DTPA, intrathecal injection, 609
^{99m}Tc-Fe hydroxide, 445*
see also Indium-113m; Iodine-125; Iodine-131, albumin; Technetium-99m, albumin
MAA, effect on pulmonary circulation, in dogs, 375*
MAA, electrophoretic mobility and thrombosis affinity, 463*
Alcohol
T_4 extraction efficiencies, 826
Aliphatics
^{18}F-fluoroaliphatic analog synthesis, 446*
Americium-241
source for fluorescent excitation analysis, 179, 816
Amino acids
^{14}C- and ^{51}Cr-labeled, uptake by carcinoma, 84
Antibiotic
^{131}I- and ^{99m}Tc-metronidazole preparation hepatic abscess imaging, 461*
Antibody
-anti-CEA, ^{125}I- and ^{131}I-, tumor scanning, in animals, 408*
anti-DNA-, test for systemic lupus erythematosis, 450*
α_1-antitrypsin deficiency, 5
^{133}Xe lung ventilation, 5
Arm
see Extremities
Argon
liquid target, ^{43}K cyclotron production, 433*
Argon-37
total-body Ca, neutron activation analysis, in animals, 522
Artifact
fluorescent scan, extrathyroidal iodine, 179
gastric secretion of $^{99m}TcO_4^-$ from ^{99m}Tc-DTPA, 113
image, tomography, 103
scintillation camera, filter plate, 14
transverse section scanning, 196
Autoradiography
^{99m}Tc-polyphosphate, in bone, 390*, 576
^{67}Ga, excised melanoma, 468*
^{67}Ga, myocardial infarct, in dogs, 418*
^{99m}Tc, gastric mucosa, in dogs, 632*
Background
tissue, regional lung ventilation, ^{133}Xe, 725
to-liver ratio, 636*
Bacteria
^{67}Ga-citrate uptake, 399*
infection, effect on bone marrow scans, 407*
staphylococcal abscess, ^{67}Ga scans, in rats, 99
viral meningitis, CSF clearance of ^{111}In and ^{169}Yb-DTPA, 638*
Barium-131
-SO_4, marker for ^{131}I-triolein absorption test, 449*
Barium-137m
-EDTA, pH monitor for infusion system, 341
Beta
point source distribution function, 843
Bile
see Gallbladder
Bleomycin
^{111}In-, ^{57}Co-, ^{67}Ga-, ^{59}Fe-, tumor imaging, 627*
^{111}In-, preparation, tumor uptake, 401*
^{111}In-, tumor imaging, 625*
^{99m}Tc-, electrolytic preparation, 415*
^{99m}Tc-, preparation, tumor imaging, 422*
^{99m}Tc-, tumor imaging, compared to ^{67}Ga, 431*

Blood
see also Red Blood Cell
anemia, Vitamin B_{12} absorption, 135
clot, MAA affinity, 463*
clot, portal vein, effect of splenectomy on liver size, 854
clot, radioiodinated streptokinase distribution, in animals, 623*
clot, ^{99m}Tc-streptokinase, preparation, 629*
^{51}Cr-phagocytes, preparation, 890
^{111}In-bleomycin uptake, in mice, 401*
kinetics of ^{67}Ga-compounds, in mice, 164
leukemia, ^{51}Cr-platelet sequestration, 219
leukemia, ^{67}Ga-citrate scans, 208
leukocyte metabolism of ^{14}C-glucose in chronic granulomatous disease, 591
radiation dose, ^{75}Selenomethionine, 49
reticulocyte uptake of ^{111}In and ^{59}Fe, 184
^{99m}Tc-bleomycin distribution, in mice, 422*
transferrin binding of ^{113}In, 882
Blood flow
see also specific organ, Vascular system
abdominal wall venous pool in cirrhosis, 110
caval-portal shunting, ^{99m}Tc-S colloid liver image, 348, 883
femoral head, ^{18}F, tetracycline fluorescence, in dogs, 639*
^{111}In-chloride kinetics in hematologic disease, 456*
MAA, electrophoretic mobility and thrombosis affinity, 463*
oxygen clock, 634*
streamline, portal vein, 79
superior vena cava obstruction, $^{99m}TcO_4^-$, 477*
terminology, 870
Blood vessels
see specific organ, Vascular system
Bone
comparisons of ^{18}F and ^{99m}Tc-labeled phosphorous compounds, imaging, 375*, 380*, 454*, 464*
comparison of ^{99m}Tc-diphosphate, ^{18}F and ^{87m}Sr, 423*
comparison of ^{99m}Tc-polyphosphate and ^{85}Sr, lesion detection, 435*
dose estimates, Ga isotopes, MIRD, 755
^{18}F, ^{45}Ca, ^{85}Sr and ^{99m}Tc-polyphosphate, in rabbits, 426*
^{18}F imaging, 500 cases, 65
^{18}F scan in drug abuse cases, 647
^{18}F studies in bronchogenic carcinoma, 451*
^{18}F, premature craniosynostosis detection, 397*
^{67}Ga-citrate scans, in cancer, 208
healing, ^{99m}Tc-polyphosphate imaging, in dogs, 457*
imaging, Fresnel zone plate, 391*
^{111}In-bleomycin uptake, in mice, 401*
lesion, differential diagnosis, in children, ^{87m}Sr, 803
mass, by photon absorption and neutron activation analysis, 386*
mineralization in disease, ^{47}Ca, photon absorptiometry, 402*
necrosis, ^{18}F and tetracycline fluorescence, in dogs, 639*
Paget's disease evaluation, ^{99m}Tc-S colloid, ^{18}F, ^{99m}Tc-polyphosphate, 928
Paget's disease, scan experience, 450*, 464*
^{203}Pb imaging, in rabbits, 872
quantitative pharmacodynamics, ^{99m}Tc phosphate compounds, 624*
radiation therapy effects, ^{99m}Tc-diphosphonate, 604
skull metastasis in breast cancer, 720
^{87m}Sr response to chemotherapy imaging, 449*
^{95m}Tc-polyphosphate, diphosphonate and pertechnetate retention, in dogs, 414*
^{99m}Tc-bleomycin distribution, in mice, 422*
^{99m}Tc-diphosphonate, cartilage uptake, in rats, 637*
^{99m}Tc-diphosphonate, preparation, distribution, in animals, 73
^{99m}Tc-methylene diphosphonate distribution, 640*
^{99m}Tc-polyphosphate, cellular deposition, 390*, 576
^{99m}Tc-polyphosphate, electrolytic preparation, 415*
^{99m}Tc-polyphosphate, incidental kidney scan, 534
^{99m}Tc-polyphosphate, scan and image comparison, 419*
^{99m}Tc-polyphosphate, scanning, 460*, 469*
^{99m}Tc-pyrophosphate, distribution, toxicity, in animals, 409*
^{99m}Tc-pyrophosphate kinetics, 642*
total-body scanning, ^{99m}Tc-diphosphonate, 546
total-body studies, ^{99m}Tc-polyphosphate, 469*, 476*, 830
uptake and chain length of ^{99m}Tc-polyphosphates, in rats, 695
whole-body Ca, ^{37}Ar method, NAA, in animlas, 522
whole-body Ca, NAA, 427*, 502
Bone marrow
dose estimates, Ga isotopes, MIRD, 755
^{67}Ga uptake mechanism, in animals, 625*
$^{111}InCl_3$, ^{52}Fe(II)-citrate scanning, in animals, 397*
^{111}In-chloride imaging, 184
^{111}In-chloride kinetics in hematologic disease, 456*
^{111}In-, ^{113}In-, ^{114}In-, ^{59}Fe-transferrin metabolism, in animals, 425*
^{111}In-transferrin scanning, 394*
Paget's disease imaging, ^{99m}Tc-S colloid, 928
scanning, effects of granulocytopenia, chemotherapy, and infection, 407*
^{99m}Tc-S colloid uptake during liver scan, 537
^{99m}Tc-Sn-phytate, preparation, distribution, in animals, 459*
transplant, lung uptake of ^{99m}Tc-S colloid, 201
Book review
Basic Medical Statistics, 718
Nuclear Medicine, 187
Nuclear Radiation Physics, 187
Brain
agent optimization, 618
aspergillomatous abscess, 541
autopsy correlation to scan, 381*
cerebral infarct, uptake of ^{18}F and ^{99m}Tc-polyphosphate, 941
^{11}C-nitriles and -hydantoins, preparation, distribution, in dogs, 643*
collimator comparison, scintillation camera, 432*
collimator, magnifying, 834
decarboxylation of DOPA-carboxyl-^{14}C, in vitro, 924
delayed scanning, $^{99m}TcO_4^-$, 380*, 467*
dual-nuclide imaging, ^{99m}Tc-DTPA, ^{113}In-chloride, 399*
effect of perchlorate blocking dose on imaging, 543
Fresnel zone plate imaging, 393*
hematoma, experimental, $^{99m}TcO_4^-$ uptake, in rats, 912
image interpretation, 850
image transmission by telephone, 376*
^{111}In-bleomycin uptake, in mice, 401*
intracranial bleeding in newborns, ^{58}Co-RBC, 807
lesion differentiation, ^{67}Ga and $^{99m}TcO_4^-$, 463*, 903
metabolism agent, ^{11}C-acetoacetic acid, preparation, 457*
orbital and retro-orbital lesions, imaging, $^{99m}TcO_4^-$, 403*
portable camera imaging, 585
posterior fossa cyst, $^{99m}TcO_4^-$ image, 944
rim sign in epidural hematoma, $^{99m}TcO_4^-$, 709
sarcoma uptake, ^{67}Ga-compounds, in mice, 164
scanning and echoencephalography in chronic subdural hematomas, 410*
scanning, quantitative analysis, 176
Schilder's disease scan, $^{99m}TcO_4^-$, 291
subdural hematoma scanning, $^{99m}TcO_4^-$, 283
^{99m}Tc-bleomycin distribution ,in mice, 422*
$^{99m}TcO_4^-$ binding, in vitro, 149
$^{99m}TcO_4^-$, ^{99m}Tc-polyphosphate, ^{67}Ga-citrate scans, 412*
$^{99m}TcO_4^-$ uptake in choroid plexus, 352
temporalis activity, 426*
tomography, image artifacts, 103
tomography, scintillation camera, 436*

transverse section scanning, orthogonal tangent correction, 196
tuberous sclerosis imaging, $^{99m}TcO_4^-$, 215
tumor differentiation, ^{67}Ga and $^{99m}TcO_4^-$, 463*
tumor uptake of ^{99m}Tc-diphosphonate, 632*
Brain, blood flow
cerebral death diagnosis, $^{99m}TcO_4^-$, 122
differential diagnosis of brain death and coma, 856
effect of injection technique, 205
quantitative $^{99m}TcO_4^-$ studies, 142
semiconductor detector, ^{85}Kr, in dogs, 448*
$^{99m}TcO_4^-$, 265, 288, 430*, 558
three-phase flow study, 476*
^{127}Xe studies, 172
Breast
carcinoma, ^{11}C-isoxazole distribution, 321
lactation, radioisotope excretion, 51, 115
tumor, ^{99m}Tc mammography, 641*
Bromine
extracellular fluid volume by fluorescent excitation analysis, 442*, 812
Bromine-82
extracellular fluid volume, fluorescent excitation analysis, 442*
extracellular water, isotope exchange, 459*
Cadmium-109
source, fluorescent excitation analysis, 442*, 812
Calcium
EDTA effects on parathyroid hormone levels, radioimmunoassay, 385*
iodate, iodization of salt, 2
plasma, effect on parathyroid hormone production, radioimmunoassay, 386*
total body, neutron activation analysis, 386*, 427*, 502
total body, neutron activation analysis, ^{37}Ar gas method, in animals, 522
Calcium-45
absorption test, 449*
and ^{45}Ca, absorption, effect of age, 760
and ^{47}Ca, absorption, effect of age, 760
beta point source distribution function, 847
distribution, compared to other bone agent, in rabbits, 426*
Calcium-47
kinetics in diseased bone, 402*
Calcium-48
in vivo neutron activation analysis, 502
Camera, Fresnel zone plate
large organ imaging, 391*
Camera, positron
collimator, 627*
myocardial imaging, $^{13}NH_4^+$, in dogs, 181
transverse section heart imaging, $^{13}NH_4^+$, in dogs, 623*
Camera, scintillation
annular aperture imaging, 861
cerebral angiography, $^{99m}TcO_4^-$, 265, 288
characteristics, dynamic quantitative studies, 413*
collimator, converging, 433*
collimator, effects, 21
collimator, magnifying, brain imaging, 834
collimator, multiprobe, 389*
collimator, pinhole and multihole converging, 432*
compared to scanner, ^{99m}Tc-polyphosphate bone studies, 419*
computer, cardiac flow/volume, $^{99m}TcO_4^-$, 395*
computer, heart left ventricular ejection fraction measurement, 798
-computer, intracardiac shunt diagnosis, 514
-computer, multi-machine, 447*
-computer, quantitative cerebral circulation, 142
-computer, quantitative renal function, 423*
-computer, regional gas exchange in lung, 490
-computer, regional lung ventilation, ^{133}Xe, 725
-computer, regional myocardial perfusion, ^{133}Xe, in dogs, 669
-computer, system utility, 477*
crystal, uncoated, 379*
deadtime, 496, 642*
digital tape recorder modification, 699
dual, computer, ^{133}Xe lung studies, 422*
high counting-rate performance, 383*
image storage system, 465*
imaging rats, ^{131}I-T_4-glucuronide and -rose bengal metabolism, 34
kidney angiography, ^{99m}Tc, 451*
lacrimal drainage imaging, $^{99m}TcO_4^-$, 89
liquid xenon, 645*
liver correlation with ultrasound, 27
lung studies, ^{127}Xe, 172
lung ventilation, ^{133}Xe, 447*
motion correction, hardware, 378*
multicrystal, evaluation, 474*
orbital and retro-orbital brain lesions, $^{99m}TcO_4^-$, 403*
photographic film comparisons, 472*
photomultiplier, external electric field, 379*
portable, 585
renogram, statistical analysis, 253
resolution, effect of signal processing and filter plate, 14
spatial distortion, 125, 383*
spleen studies, effect of patient position, ^{99m}Tc-S colloid, 386*
thyroid uptake $^{99m}TcO_4^-$, "split field" method, 907
tomography, 436*
whole-body bone imaging, ^{99m}Tc-polyphosphate, 830
Carbon-11
-acetate, distribution, in animals, 448*
-acetate, myocardial extraction, in dogs, 440*
-acetoacetic acid, preparation, 457*
-carboxylates, myocardial extraction, in dogs, 440*
-carboxylates, preparation, distribution, in dogs, 747
^{11}Co-red cells, extravascular water, in vitro, in dogs, 414*
-dopamine hydrochloride, preparation, distribution, in animals, 377*, 867
-ethanol, distribution, in animals, 446*
$H^{11}CN$, carrier-free, cyclotron production, 864
-methanol, -ethanol, myocardial extraction, in dogs, 440*
-nitriles and -hydantoins, preparation, distribution in dogs, 643*
-norepinephrine distribution, in animals, 619*
-octanoate, distribution, in animals, 446*
-oleic acid, myocardial extraction, in dogs, 440*
-palmitate, distribution, in animals, 446*
positron energy effect on spatial resolution, 401*
Carbon-14
-amino acids, uptake by carcinoma cells, 84
beta point source distribution function, 847
-DNA, anti-DNA antibody test for systemic lupus erythematosis, 450*
-DOPA carboxylase, chamber method assay, 924
dopamine, uptake in pheochromocytomas, 376*, 781
-glucose, antigen and antibody assay, 420*
-glucose metabolism in chronic granulomatous disease, 591
-isoxazole, distribution in carcinoma, 321
-tripalmitin, "breath test" for pancreas insufficiency, 622*
Cardiac
see Heart
Carotene
absorption test, 449*
Cartilage
uptake of ^{99m}Tc-EHDP, 637*
Cerebral
see Brain
Cerebral spinal fluid
see Cisternography
Cesium-129

-chloride, tumor scanning, 635*
cyclotron production, purification, 471*
myocardial imaging, 440*
myocardial infarction detection, 455*
myocardial infarction uptake, in dogs, 439*
physical properties, 243
production, LAMPF, 635*
radiation exposure of personnel, 382
Cesium-131
-chloride, multi-wire proportional chamber imaging, in animals, 441*
physical properties, 243
Cesium-134m
myocardial imaging, in dogs, 243
Cesium-141
-citrate, tumor uptake, in rats, 615
-hydroxy-citrate, multi-wire proportional chamber imaging, in animals, 441*
tumor uptake, in rats, 408*
Chelates
see also Indium-111, DTPA; Indium-113m; Technetium-99m, DTPA; Ytterbium-169
-DTPA, ^{67}Ga-, kinetics, in mice, 164
-EDTA, ^{37m}Ba, pH monitor for infusion system, 341
EDTA, effect on plasma Ca and parathyroid hormone levels, 385*, 386*
^{99m}Tc-Sn-gluconate, gel chromatography, 235
Chemotherapy
effect on bone marrow scans, 407*
Paget's disease, 449*, 450*
Prednisone, aspergillomatous abscess of brain and thyroid, 541
Cholesterol
esters, ^{125}I-iodo-, preparation, distribution, in rats, 777
^{131}I-19-iodo-, adrenal gland imaging, 458*, 634*
^{131}I-, radiation dosimetry, 416*, 713
Cholocystokinin
pretreatment for gallbladder imaging, 393*
Chromatography
^{57}Co-, ^{67}Ga-, ^{111}In-bleomycin, 917
gel, ^{99m}Tc-Sn-gluconate, 235
quality control for kits, on site, 362, 364
quality control of ^{99m}Tc compounds, 793
Chromium-51
-amino acids, uptake by carcinoma cells, 84
-chloride, distribution in pregnancy, in animals, 651
-phagocytes, preparation, 890
-platelets, splenic sequestration in lymphocytic leukemia, 219
Cisternography
adverse reaction, ^{131}I-IHSA, 387*
adverse reaction, ^{111}In-DTPA, 609
CSF shunt evaluation, ^{111}In-DTPA, in children, 399*, 920
CSF shunt evaluation, $^{99m}TcO_4^-$, 405*, 683
hyperbaric, ^{131}I-, ^{99m}Tc-HSA, ^{111}In-DTPA, 226
hyperbaric, ^{99m}Tc-albumin, in monkeys, 223
^{131}I-IHSA and ^{169}Yb-DTPA comparison, 405*, 765
^{131}I-IHSA, arachnoid cyst, 61
^{111}In- and ^{169}Yb-DTPA, viral meningitis, in dogs, 638*
^{111}In-DTPA, hydrocephalic children, 620*
^{111}In-DTPA, rhinorrhea, 631*, 933
primate model, communicating hydrocephalus, 626*
progressive dementia, ^{99m}Tc-HSA, 415*
quantitative, ^{111}In-DTPA and -EDTA, 462*
spinal dural leaks, ^{131}I-IHSA, 356
^{169}Yb-Ca-DTPA, abnormal kidney, 59
^{169}Yb-DTPA, biological behavior, in dogs, 93
^{169}Yb-DTPA, posterior fossa cyst, 944
Clinical evaluation
anti-DNA-antibody test for systemic lupus erythematosis, 124 cases, 450*
Baird Atomic Multi-crystal scanning gamma camera, 456 cases, 474*
$^{131}BaSO_4$ marker, ^{131}I-triolein absorption test, 120 cases, 449*
blood flow in cerebral vascular disease, $^{99m}TcO_4^-$, 84 cases, 558
bone, ^{18}F, scintillation camera, over 500 cases, 65
bone scanning, comparison of ^{18}F, ^{87m}Sr, ^{99m}Tc-phosphate complexes, 300 cases, 410*; 69 cases, 423*
bone studies in Paget's disease, 80 cases, 450*
brain image interpretation, $^{99m}TcO_4^-$, 67 cases, 850
brain lesion differentiation, ^{67}Ga, $^{99m}TcO_4^-$, 77 cases, 903
brain neoplasm, dynamic flow studies, 59 cases, 430*
brain scan, autopsy correlation, 238 cases, 381*
brain scan, subdural hematoma, 98 cases, 283
brain, $^{99m}TcO_4^-$ angiography, 356 cases, 265
Ca absorption, dual-isotope technique, 52 cases, 760
cisternography in progressive dementia, ^{99m}Tc-HSA, 85 cases, 415*
^{58}Co-RBC, intracranial bleeding, in newborns, 69 cases, 807
digoxin radioimmunoassay, 129 cases, 531
dynamic spleen imaging, ^{99m}Tc-S colloid, 46 cases, 463*, 582
emergency lung imaging, 224 cases, 460*
^{18}F bone studies in bronchogenic carcinoma, 206 cases, 451*
^{67}Ga-citrate scans in melanoma, 32 cases, 430*
^{67}Ga-citrate whole-body scans, 488 cases, 208
hyperbaric cisternography, 30 cases, 226
hypothyroidism after ^{131}I therapy, 1119 cases, 377*
^{131}I thyroid therapy, effect on T_3 and T_4, 68 cases, 396*
^{131}I therapy in thyroid cancer, 54 cases, 419*
^{111}In-bleomycin tumor studies, 101 cases, 641*
^{43}K and ^{129}Cs myocardial imaging, 50 cases, 440*
^{43}K myocardial scan, 49 cases, 458*
kidney, quantitative dynamic imaging, $^{99m}TcO_4^-$, 80 cases, 628*
kidney transplant, $^{99m}TcO_4^-$, ^{131}I-Hippuran, 24 cases, 384*
left ventricular function in acute myocardial infarct, 30 cases, 445*
liver, correlation of imaging and ultrasound, 137 cases, 27
liver focal disease differentiation, ^{67}Ga, 79 cases, 452*
liver imaging, ^{99m}Tc-S colloid, biopsy correlation, 173 cases, 484
liver, jaundice type differentiation, radio-toluidine blue, 178 cases, 388*
liver pathology evaluation, ^{67}Ga-citrate, ^{99m}Tc-S colloid, 55 cases, 402*
liver perfusion, ^{113m}In, 95 cases, 565
lung perfusion in cystic fibrosis, 73 cases, 326
lung ventilation, ^{133}Xe, α_1-antitrypsin deficiency, 50 cases, 5
myocardial infarction detection, ^{129}Cs, 50 cases, 455*
myocardial ischemia imaging, $^{13}NH_3$, 36 cases, 405*
nontoxic autonomously functioning thyroid adenomata, 138 cases, 404*
observer performance, 416*
peripheral vascular perfusion scanning, ^{99m}Tc- and ^{113m}In-microspheres, 100 studies, 452*
quantitative analysis of normal brain scan, 38 cases, 176
quantitative cerebral circulation, $^{99m}TcO_4^-$, 83 cases, 142
quantitative renal transplant function studies, 63 cases, 423*
regional lung function, ^{133}Xe, ^{99m}Tc-microspheres, 30 cases, 427*
spleen size, ^{99m}Tc-S colloid images, 223 cases, 390*
^{99m}Tc-DTPA renal studies, in children, 100 cases, 473*
^{99m}Tc-MAA kit, 100 cases, 474*; 45 cases, 702
^{99m}Tc-methylene diphosphonate bone studies, 60 cases, 640*
$^{99m}TcO_4^-$ thyroid uptake, 152 cases, 907
$^{99m}TcO_4^-$ venography, 77 cases, 528
^{99m}Tc-polyphosphate bone scanning, 150 cases, 460*

^{99m}Tc renal angiography screening for hypertension, 96 studies, 451*
^{99m}Tc-Sn-EHDP bone imaging, 55 cases, 464*
thyroxine, combined method for total and free, 150 cases, 740
tomography, image artifacts, 100 cases, 103
total-body K by whole-body counting, 750 cases, 40
total-body K, in infants, 64 cases, 550
T_4 absorption in intestinal disease, 56 cases, 406*
T_4, indirect indicator test, 116 cases, 159
tumor imaging, ^{99m}Tc-bleomycin compared to ^{67}Ga, 142 cases, 431*
venography, $^{99m}TcO_4^-$, 77 cases, 425*
Vitamin B_{12} absorption, dual isotope technique, 111 cases, 135
^{133}Xe regional ventilation at different lung volumes, 117 cases, 453*

Cobalt-50
-RBC, intracranial bleeding in newborns, 807

Cobalt-57
-Bleomycin, tumor, imaging, 627*
-Bleomycin, distribution, Ehrlich's carcinoma, in mice, 917
-B_{12}(IF), ^{58}Co-B_{12}, simultaneous absorption, 568
-B_{12}, distribution in pregnancy, in animals, 651
-B_{12}, Schilling test, 692
excretion test, 462*

Cobalt-58
-B_{12}(IF), ^{57}Co-B_{12}, simultaneous absorption, 568
excretion test, 462*
B_{12}, absorption, 135

Cobalt-60
-microspheres, B_{12} absorption marker, 568

Collimator
see also Fresnel zone plate
bilateral equally efficient radiocardiography, 621*
camera, high-resolution, -sensitivity, ^{99m}Tc, 419*
coincidence detection system, 627*
comparison for brain and liver imaging, 432*
comparisons, ^{123}I thyroid imaging, 434*
converging, scintillation camera, 433*
effects, scintillation acmera, 21
MTF, effect of scattering medium, 393*
magnifying, brain imaging, 834
multiprobe, scintillation camera, 389*
parameters of scan quality, 473*
pinhole and multihole converging for scintillation camera, 432*
pinhole, high resolution, whole-body bone scans, ^{99m}Tc-polyphosphate, 469*
pinehole, scintillation camera, orbital lesions, $^{99m}TcO_4^-$, 403*
profile scanner, 895
scanner, volume distributions of activity, 474*
scintillation camera, spatial distortion, 383*
scintillation camera, 'split field' $^{99m}TcO_4^-$ thyroid uptake, 907

Colorimetry
monitor for ^{137m}Ba-EDTA infusion system, 341

Compton scatter
reduction of effect, NaI(Tl) detector, 67, 878, 879

Computer
-camera, cardiac flow/volume, $^{99m}TcO_4^-$, 395*
-camera, intracardiac shunt diagnosis, 514
-camera, left ventricular ejection fraction, 798
-camera, myocardial studies, ^{133}Xe, in dogs, 669
-camera, quantitative cerebral blood flow, $^{99m}TcO_4^-$, 142
-camera, quantitative renal function, ^{99m}Tc-DTPA, 423*
-camera, regional lung area gas exchange, 490
-camera, regional lung ventilation, ^{133}Xe, 725
-camera, system utility, 477*
cardiopulmonary circulation, mathematical model, 385*
clinical data storage and retrieval system, 470*
Compton scatter correction, 67, 878, 879
data acquisition system, multiprobe, 636*
dual camera system, ^{133}Xe lung studies, 422*
image improvement techniques, 621*
image storage system, scintillation camera, 465
liver-to-background ratio, 636*
matrix inversion technique, 620*
MIPED II, multi-machine data handling, 447*
model, myocardial blood flow, 639*
nonlinear filtering method for image processing, 411*
orthogonal tangent correction, transverse section scanning, 196
record keeping and handling, 448*
renogram, multicompartmental model, ^{131}I-Hippuran, 389*
renogram, statistical analysis, 253
spatial distortion in scintillation camera, 383*
utility program for data handling, 398*
3-D images, 628*

Copper-64
beta point source distribution, 847

Copper-67
lung tumor imaging, 947

Counterelectrophoresis
hepatitis associated antigen, 417*

Count rate
effect on scan quality, 473*
saturation, scintillation cameras, 413*
spatial distortion, scintillation camera, 383*

Cows
see Generator

Crystal
CsI, scintillation camera, 379*
NaI(Tl), Compton scatter effect reduction, 67, 878, 879
NaI(Tl), positron camera, myocardial imaging, in dogs, 181
Si(Li), fluorescent excitation analysis, 442*

Cyclotron
^{129}Cs production, purification, 471*
^{52}Fe production, 397*
H^{11}CN, carrier free, production, 864
^{43}K production, 433*
$^{13}NH_3$ production, 629*
^{123}Xe production, 733

Data handling, storage, retrieval
see Record keeping

Data processing
see also Computer
comparison of image restoration techniques, 621*
Compton scatter effect reduction, 67, 878, 879
matrix inversion technique, 620*
orthogonal tangent correction, transverse section scanning, 196
scan smoothing and observer performance, 873, 876
scintillation camera, filter plate, 14

Deadtime
rectilinear scanner system, 828
scintillation camera, 383*, 413*, 496, 642*

Detector
see also Collimator; Crystal
annular aperture imaging, 861
multiprobe, data acquisition system, 636*
efficiency, multi-wire proportional chamber, 441*
positron camera, myocardial imaging, in dogs, 181

Diabetes
effect on total-body K, 40

Digital computer
see Computer

Digoxin
radioimmunoassay, 531

Dihydrothioctic acid
^{99m}Tc-, preparation, distribution, in dogs, 412*

Diphosphonate
see Technetium95m; Technetium-99m
DNA
^{125}I-, anti-DNA-antibody test for systemic lupus erythematosis, 450*
DOPA
-carboxyl-^{14}C, decarboxylation assay, chamber method, 924
Dopamine
^{11}C-, -hydrochloride, preparation, distribution, in animals, 867
^{11}C-, in pheochromocytoma, 376*, 781
-hydrochloride, ^{11}C-, preparation, distribution, in dogs, 377*
Dosimetry
see Radiation dose
Drug addiction
^{18}F bone scan, 647
lung function, ^{133}Xe, ^{99m}Tc microspheres, 455*
Dysprosium-159
-gluconate, distribution in pregnancy, in animals, 651
-HEDTA and -polyphosphate, multi-wire proportional chamber imaging, in animals, 441*
Echoencephalography
compared to scan, chronic subdural hematoma, 410*
Editorial
nature of publications, 1
Board, 483
Electrometer
vibrating reed, assay of decarboxylation of DOPA- carboxyl-^{14}C, 924
Energy
see specific isotope; specific particle
Enzyme
inhibitor, ^{14}C-isoxazole distribution in carcinoma, 321
Erbium-167m
parameters, 341
Erythrocyte
see Red Blood Cell
Extracellular fluid
volume, fluorescent excitation analysis, 442*, 812
water, isotope exchange method, 459*
Extremities
left brachial artery injection, ^{99m}Tc-MAA, 249
legs, arteriovenous shunt imaging, ^{99m}Tc-microspheres, in dogs, 444*
legs, ^{99m}Tc-microsphere venography, 407*
legs, $^{99m}TcO_4^-$ venography, 528
^{32}P-chromic phosphate therapy in arthritis, 885
vascular perfusion scanning, ^{99m}Tc- and ^{111}In-microspheres, 452*
Eye
lacrimal drainage imaging, $^{99m}TcO_4^-$, 89
orbital and retro-orbital lesion imaging, $^{99m}TcO_4^-$, 403*
^{69}Zn concentration, 435*
False negative
rate, brain scans, 381*
rate, subdural hematoma, $^{99m}TcO_4^-$ scan, 283
False positive
focal uptake by liver, ^{99m}Tc-S colloid, 175, 348, 354, 606, 612, 883
^{67}Ga-citrate tumor scans, 430*
liver image, ^{99m}Tc, extrinsic object, 189
rate, brain scan, 381*
rate, subdural hematoma, $^{99m}TcO_4^-$ scan, 283
rate, cerebral angiogram, $^{99m}TcO_4^-$, 265, 288
$^{99m}TcO_4^-$ uptake in choroid plexus, 352
Fetus
abruptio placentae, $^{99m}TcO_4^-$ image, 297
distribution in pregnancy of 15 radiopharmaceuticals, in animals, 651
Fibrinogen
^{131}I-, deep vein thrombosis scanning, 385*
^{131}I- and ^{125}I-, comparison of four preparations, 429*
radio-iodinated, comparison of preparation methods, 420*
Film
35 mm, record keeping, 588
35 mm, 75 mm, Polaroid, camera images, 472*
Filter
digital conversive, image improvement technique, 621*
Millipore, transfer and sterilization device, 126
plate, scintillation camera, 14
profile scanner, 895
shield for camera, $^{99m}TcO_4^-$ thyroid uptake, 907
Fluorescence
excitation analysis, extracellular fluid volume, 442*, 812
excitation analysis, iodine in lymph nodes, 179
excitation analysis of iodine in thyroid, 434*, 816
tetracycline, femoral head circulation, in dogs, 639*
Fluorine-18
-acetate, distribution, in animals, 446*; synthesis, 446*
bone imaging experience, 65
bone imaging in Paget's disease, 928
bone scan, in drug abuse cases, 647
bone scan, Paget's disease, 464*
bone studies, in bronchogenic carcinoma, 451*
-carboxylates, distribution, in animals, 446*; preparation, 446*
-carboxylates, myocardial extraction, in dogs, 440*
compared to ^{45}Ca, ^{85}Sr and ^{99m}Tc-phosphorous compounds, distribution, 426*
compared to ^{87m}Sr and ^{99m}Tc-phosphate complexes, bone scan, 410*
compared to ^{99m}Tc-diphosphate and ^{87m}Sr, bone scan, 423*
compared to ^{99m}Tc-labeled phosphorous bone agents, 375*, 380*
compared to ^{99m}Tc-polyphosphate, images and scans, 419*
compared to ^{99m}Tc-Sn-EHDP, bone image, 464*
compared to ^{99m}Tc-Sn-EHDP, x-ray, 454*
extraosseous osteogenic sarcoma, 295
femoral head circulation, in dogs, 639*
-fluoroaliphatic analogs, synthesis, 446*
-fluoroethanol, distribution, in animals, 446*
-5-fluorouracil synthesis, 63
-hexanoate, distribution, in animals, 446*
positron energy effect on spatial resolution, 401*
premature craniosynostosis, 397*
-tetradecanoate, preparation, 446*; distribution, in animals, 446*
uptake in cerebal infarction, 941
Fluorouracil
^{18}F-, synthesis, 63
Folate
radioimmunoassay, 633*
Fourier
convolution, image improvement techniques, 621*
transforms, 3-D images, 628*
Fresnel zone plate
imaging, compared to scanning, thyroid, liver, brain, 393*
large organ imaging, 391*
Full Width at Half Maximum
magnifying collimator for scintillation camera, 834
scintillation camera, collimator effect, 21
Furfuryl mercaptan
^{99m}Tc-, preparation, distribution, in dogs, 412*
Gadolinium-153
-citrate, tumor uptake, in rats, 408*, 615
Gallbladder
^{123}I-bromsulphalein, preparation, imaging, in animals, 820
^{131}I-T_4-glucuronide and -rose bengal metabolism, in rat, 34
imaging, ^{99m}Tc-penicillamine, 418*
imaging, ^{131}I-rose bengal, ^{99m}Tc-dihydrothioctic acid, 393*

Gallium-66
-citrate, dose estimates, MIRD, 755
Gallium-67
autoradiography in excised melanomas, 468*
-Bleomycin, distribution, Ehrlich carcinoma, in mice, 917
-Bleomycin, tumor imaging, 627*
brain lesion differentiation, with $^{99m}TcO_4^-$, 463*, 903
-chloride, -citrate, -lactate, -Fe-DTPA, distribution and excretion, in mice, 164
citrate, compared to ^{169}Yb-citrate, for tumor, 408*
-citrate, distribution in pregnancy, in animals, 651
-citrate, dose estimates, MIRD, 755
-citrate, head lesion differentiation, 412*
-citrate, imaging in bacterial endocarditis, 644*
-citrate, liver pathology evaluation, 402*
-citrate, myocardial infarct imaging, in dogs, 418*
-citrate, scans in testicular malignancy, 439*
-citrate, staphylococcal abscess scanning, in rats, 99
-citrate, subacute thyroiditis, 403*
-citrate, tumor distribution, in animals, 624*
-citrate, tumor imaging, compared to ^{111}In-Bleomycin, 641*
citrate, tumor imaging compared to ^{99m}Tc-Bleomycin, 431*
-citrate, tumor scans, 430*
-citrate, uptake in experimental abscesses, in monkeys, 399*
-citrate, whole-body retention, 840
hepatic focal disease differentiation, 452*
liver perfusion, 565
lymphocyte uptake, phytohemagglutinin effect, 428*
mechanism of cellular uptake, in animals, 625*
psoas abscess scan, 499
scanner window, 361
uptake in pneumoconiosis, 467*
whole-body scans, 488 cases, 208
Gallium-68
-citrate, dose estimates, MIRD, 755
Gallium-72
dose estimates, MIRD, 755
Gastrointestinal tract
Ca absorption, effect of age, 760
^{57}Co-vitamin B_{12} absorption, 692
^{58}Co-B_{12} and ^{57}Co-B_{12}(IF), simultaneous absorption, 135, 568
dose estimates, Ga isotopes, MIRD, 755
estraosseous osteogenic sarcoma, ^{18}F scan, 295
^{131}I liquid vs capsule thyroid uptake, 507
^{131}I-triolein absorption test, 299, 300
imaging, aid in pancreas studies, 246
liver function studies following jejuno-ileal bypass surgery, 390*
^{99m}Tc-Bleomycin distribution, in animals, 422*
^{99m}Tc-DTPA, gastric emptying time, 622*
$^{99m}TcO_4^-$ absorption and secretion, 331
$^{99m}TcO_4^-$, rectal absorption, in dogs, 600
$^{99m}TcO_4^-$ uptake, effect of Sn(II), in rats, 428*
$^{99m}TcO_4^-$ uptake studies, 632*
T_4 absorption in disease, 406*
Generator
^{137}Cs-^{137m}Ba, 341
^{99}Mo-^{99m}Tc, shield for exposure reduction, 382*
Glomerular filtration rate
see Kidney
Gold-198
beta point source distribution function, 847
colloid, RES blockade, in rats, 443*
distribution in pregnancy, in animals, 651
lymph node scanning, 471*
portal vein, streamline flow, 79
Half-life
^{67}Ga, whole-body retention, 840
^{131}I-MAA, prolonged lung retention in asthma, 837
^{113m}In excretion, 126, 882
Hand
see Extremities
Heart
blood pool distribution of ^{99m}Tc-S colloid, in lymphoma, 201
^{11}C-norepinephrine for myocardial scanning, uptake in animals, 619*
^{134m}Cs, myocardial imaging, in dogs, 243
^{129}Cs, myocardial infarction uptake, in dogs, 439*
^{129}Cs, myocardial infarction detection, 455*
disease, effect on total-body K, 40
^{67}Ga-citrate imaging in bacterial endocarditis, 644*
^{67}Ga imaging, myocardial infarct, in dogs, 418*
^{39}K for myocardial studies, 359
^{43}K and ^{129}Cs for myocardial imaging, 440*
^{43}K, myocardial resection evaluation, 638*
^{43}K scan, myocardial ischemia, 458*
^{43}K, ^{99m}Tc, and ^{85}Sr-microspheres, myocardial studies, in dogs, 443*
myocardial extraction of fatty acids and carboxylates, in dogs, 440*
$^{13}NH_3$, myocardial ischemia imaging, 405*
positron camera, myocardial imaging, $^{13}NH_4^+$, in dogs, 181
^{99m}Tc-oleic acid complex, myocardial imaging, in dogs, 381*
^{99m}Tc-tetracycline, myocardial infarct imaging, in dogs, 595
^{201}Tl preparation, 421*
toxicity of ^{99m}Tc-Sn-phosphate complexes, 774
transverse section imaging, $^{13}NH_4^+$, in dogs, 623*
Heart, blood flow
bilateral equally efficient radiocardiography, 621*
cardiac flow/volume, $^{99m}TcO_4^-$, 395*
cardiopulmonary circulation, mathematical model, 385*
coronary bypass graft, serial imaging, ^{42}K, 454*
distribution of caval blood, ^{131}I-MAA, 870
^{131}I-MAA, in dogs, 129
isoproterenol effect, ^{133}Xe, 388*
left ventricular function in acute myocardial infarct, 445*
left ventricular ejection fraction, ^{99m}Tc-HSA, 798
left ventricular function, serial measurement, 438*
myocardial, $H_2{}^{15}O$, ^{133}Xe, in situ, in dogs, 429*
myocardial, intracoronary injection, ^{42}K, in dogs, 274
myocardial, regional, mathematical model, 639*
myocardial, regional, ^{133}Xe, in dogs, 669
portable camera, 585
scintillation camera, limits of ^{99m}Tc activity, 383*
shunt, arteriovenous, measurement, 247, 248
shunt evaluation, ^{99m}Tc-MAA, in children, 398*
shunt, intracardiac, diagnosis, ^{133}Xe, ^{99m}Tc-S colloid, 514
shunt, right to left, in adult, 240
Hepatic function
see Liver
Hippuran
see Iodine-131, Hippuran
Hormone
^{131}I-thyroid, effect of thyrotrophin releasing hormone, 437*
parathyroid, radioimmunoassay, effects of EDTA, 385*
Human serum albumin
see Indium-113m; Iodine-125; Iodine-131, albumin; Technetium-99m, albumin
Hydrogen-3
-folic acid, absorption test, 449*
-pteroylglutamic acid, folate radioimmunoassay, 633*
total-body water, 459*
Imaging
see Camera, Fresnel zone plate; Camera, positron; Camera, scintillation; specific organs
Immunoassay

see Radioimmunoassay
carcinoembryonic antigen, lung malignancy, 424*
Indium
-chloride and hydrated oxide, toxicity, in mice, 677
Indium-111
-Bleomycin, distribution, Ehrlich's carcinoma, in mice, 917
-Bleomycin, preparation, tumor uptake, 401*
-Bleomycin, tumor imaging, 625*, 627*, 641*
-Bleomycin, tumor uptake, in mice, 637*
-chloride and ^{52}Fe(II)-citrate, bone marrow scans, in animals, 397*
-chloride, bone marrow imaging, 184
-chloride, kidney kinetics, in mice, 417*
-chloride, kinetics in hematologic disease, 456*
-chloride, mechanism of bone marrow uptake, 394*
-PO_4, aerosol lung studies, 630*
-transferrin, bone marrow scanning, 393*
-transferrin, erythropoietic marrow metabolism, in animals, 425*
-transferrin, tumor uptake, 641*
Indium-111, DTPA
adverse reaction following cisternography, 609
and -EDTA, quantitative cisternography, 462*
cisternography in rhinorrhea, 631*
cisternography in viral meningitis, in dogs, 638*
CSF absorption in hydrocephalic children, 620*
CSF leaks in rhinorrhea, 631*, 933
CSF shunt evaluation, in children, 399*, 920
hyperbaric cisternography, 226
renal imaging, GFR, in animals, 394*
Indium, 113m
albumin microspheres, preparation, 344
brain imaging, dual nuclide, with ^{99m}Tc-DTPA, 399*
-chloride, liver perfusion, 565
-colloid, detection efficiency, 763
distribution in pregnancy, in animals, 651
-DTPA, kidney kinetics, in mice, 417*
-lutetium carrier, distribution in pregnancy, in animals, 651
-macroaggregates, lung perfusion in cystic fibrosis, 326
-microspheres, peripheral vascular perfusion scanning, 452*
-PO_4 aerosol, lung studies, 630*
transferrin binding, 881, 882
-transferrin, erythropoietic marrow metabolism, in animals, 425*
urinary excretion, 126, 881, 882
Indium-114m
-chloride and hydrated oxide, toxicity, in animals, 677
distribution in pregnancy, in animals, 651
-transferrin, erythropoietic marrow metabolism, in animals, 425*
Indium-115
-chloride and hydrated oxide, toxicity, in mice, 677
Injection
bolus ^{99m}Tc-S colloid, preparation, 230
compared to oral administration, ^{125}I-iodocholesterol esters, in rats, 777
hemorrhoidal vein, in dogs, 384*
hepatic vein, ^{99m}Tc-S colloid, 354
intracoronary, myocardial perfusion, in dogs, 274
left brachial artery, ^{99m}Tc-MAA, 249
synovial, ^{32}P-chromic phosphate therapy for arthritis, 885
techniques, absorption and secretion, $^{99m}TcO_4^-$ and ^{131}I, 331
technique, effect on cerebral angiogram, 205
Iodine
extrathyroidal, lymph node, fluorescent scan, 179
Iodine-123
-bromsulphalein, preparation, liver and gallbladder imaging, in animals, 820
production, LAMPF, 635*
-streptokinase, distribution, in animals, 623*
thyroid imaging, collimator comparisons, 434*
Iodine-125
-albumin, distribution in pregnancy, in animals, 651
alpha-fetoprotein, radioimmunoassay, 466*
anti-CEA antibody, tumor scans, in animals, 408*
dose calibration, inter-laboratory comparison, 404*
-DNA, anti-DNA-antibody test, systemic lupus erythematosis, 450*
-fibrinogen, comparison of preparation methods, 420*, 429*
hepatitis associated antigen radioimmunoassay, 417*
-iodocholesterol esters, preparation, distribution, in rats, 777
-iodothalamate as GFR standard, 394*, 441*
photon absorption, in osteoporosis, 386*
pressurized multi-wire proportional chamber, 620*
serum thyroxine level distribution, 660
-streptokinase, distribution, in animals, 623*
3-o-succinyl digoxigenin tyrosine, digoxin radioimmunoassay, 531
thyroid imaging, multi-wire proportional chamber, 441*
-thyroxine, absorption in intestinal disease, 406*
-thyroxine, thyroxine binding globulin test, 392*
-thyroxine, denatured serum, 336
-thyroxine, radioimmunoassay, 317
-thyroxine, total and free, measurement, 740
Iodine-127
thyroid concentration, fluorescent excitation analysis, in vitro, 816
Iodine-131
absorption and secretion, compared to $^{99m}TcO_4^-$, 331
-anti-CEA antibody, tumor scans, in animals, 408*
beta point source distribution function, 847
bilateral equally efficient radiocardiography, 621*
Ca-iodate for salt iodization, 2
-cholesterol, adrenal imaging, in children, 634*
distribution in pregnancy, in animals, 651
dose calibration, inter-laboratory comparison, 404*
-fibrinogen, comparison of four preparations, 429*
-fibrinogen, deep vein thrombosis scanning, 385*
-iodo-cholesterol, adrenal gland imaging, 458*
-iodocholesterol, radiation dosimetry, 416*, 713
-metronidazole, preparation, amebic hepatic abscess imaging, 461*
-parathyroid hormone, radioimmunoassay, 385*, 386*
residual, effect on T_4 test, 279
-rose bengal, detection efficiency, liver phantom scans, 763
-rose bengal, gallbladder imaging, 393*
-rose bengal, compared to ^{99m}TcS colloid liver imaging, 175
-rose bengal, liver transplant evaluation, 382*
-rose bengal, liver transplant metabolism, in dogs, 465*
-streptokinase, distribution, in animals, 623*
struma ovarii scan, 118
therapy, effect on T_3 and T_4, 396*
thyroid binding, simultaneous trapping, $^{99m}TcO_4^-$, 785
thyroid clearance, early phase, 238
-thyroid hormones, effect of thyrotrophin releasing hormone, 437*
thyroid imaging, compared to ^{123}I, 434*
thyroid phantom, image improvement techniques, 621*
thyroid therapy, 419*, 900
thyroid therapy, effect of rapid I turnover, 379*
thyroid therapy, resultant hypothyroidism, 377*
thyroid uptake, comparison of liquid and capsule, 507
thyroid uptake compared to ^{127}I by fluorescent excitation analysis, 816
-triolein absorption test, 299, 300, 449*
-thyroxine, absorption in intestinal disease, 406*
-thyroxine-glucuronide and -rose bengal metabolism, in rats, 34

Iodine-131, albumin
cisternography, arachnoid cyst, 61
cisternography, compared to ^{169}Yb-DTPA, 405*, 765
cisternography, pyrogen reactions, 387*
cisternography, spinal dural leaks, 356
hyperbaric cisternography, 226
liver perfusion, 565
MAA, breast milk secretion of ^{131}I, 115
MAA, caval blood distribution, 870
MAA, coronary circulation, in dogs, 129
MAA, emergency lung imaging, efficacy, 460*
MAA, hemorrhoidal vein injection, in dogs, 384*
MAA, lung studies in α_1-antitrypsin deficiency, 5
MAA, prolonged lung retention in asthma, 837
MAA, segmental lung arteriography, 631*
microaggregated, distribution in pregnancy, in animals, 651
Iodine-131, Hippuran
dual isotope renal studies, with ^{99m}Tc-DTPA, 441*
kidney mass evaluation, 442*
kidney studies in liver transplant evaluation, 382*
kidney transplant evaluation, 384*
renography, multicompartmental model, 389*
statistical analysis of camera renogram, 253
Iodine-132
beta point source distribution function, 847
Iridium-191m
parameters, 341
Iron
absorption, total body stores, cobalt excretion test, 462*
Iron-52
-citrate and $^{111}InCl_3$, bone marrow scans, in animals, 397*
splenic red cell production, quantitative, 424*
Iron-59
beta point source distribution function, 847
-Bleomycin, tumor imaging, 627*
-citrate, distribution in pregnancy, in animals, 651
-iron hydroxide, lung retention, in monkeys, 437*
reticulocyte uptake, 184
-transferrin, erythropoietic marrow metabolism, in animals, 425*
Isoproterenol
effect on coronary blood flow, ^{133}Xe, 388*
Joints
see Extremities
Kidney
arteriovenous anastomoses, microsphere studies, 247, 248
comparison of seven agents, in mice, 417*
decarboxylation of DOPA-carboxyl-^{14}C, in vitro, 924
dose estimates, Ga isotopes, MIRD, 755
dynamic studies, $^{197}HgCl_2$, 444*
effect of disease on total-body K, 40
^{67}Ga labeled compounds, kinetics, in mice, 164
GFR, ERPF, dual isotope studies, 441*
imaging, GFR, ^{111}In-DTPA, in animals, 394*
imaging, portable camera, 585
^{111}In-Bleomycin uptake, in mice, 401*
^{113m}In excretion, 126, 882
masses, ^{99m}Tc-DTPA, ^{131}I-Hippuran and ultrasonic imaging, 442*
obstruction effects on cisternogram, 59
phantom, observer performance, 416*
quantitative dynamic imaging, $^{99m}TcO_4^-$, 628
radiation dose, ^{75}Se-selenomethionine, 49
radioimmunoassay of plasma renin activity, 872, 873
scanning during ^{99m}Tc-polyphosphate bone scan, 534
^{99m}Tc-Sn-citrate, preparation, distribution, in dogs, 843
studies in liver transplant evaluation, 382*
^{99m}Tc angiography screening for hypertension, 451*
^{99m}Tc-Bleomycin distribution, in animals, 422*
^{99m}Tc-DTPA imaging, free $^{99m}TcO_4^-$ artifact, 113
^{99m}Tc-DTPA studies, in children, 473*
^{99m}Tc-Fe- and ^{99m}Tc-Sn-DTPA biological behavior, 248, 249
$^{99m}TcO_4^-$ binding, in vitro, 149
$^{99m}TcO_4^-$ distribution, effect of Sn(II), in rats, 428*
tomography, image artifacts, 103
transplant, effect on lung uptake of ^{99m}Tc-S colloid, 757
transplant evaluation, $^{99m}TcO_4^-$, ^{131}I-Hippuran, 384*
transplant, non-perfused, ^{99m}Tc-DTPA, 395*
transplant, quantitative function studies, camera, ^{99m}Tc-DTPA, 423*
uptake, ^{99m}Tc-labeled phosphorous bone agents, 375*
Kidney renography
kidney transplant evaluation, 384*
liver transplant evaluation, 382*
mass evaluation, ^{99m}Tc-DTPA, ^{131}I-Hippuran and ultrasonic imaging, 442*
multicompartmental, ^{131}I-Hippuran, computer, 389*
statistical analysis, 253
Kit
digoxin radioimmunoassay, 531
preparation of ^{99m}Tc-S colloid for bolus injection, 230
quality control, 362, 364
radioimmunoassay of plasma renin activity, 872, 873
^{99m}Tc-MAA, evaluation, 474*, 702
^{99m}Tc-DTPA, free $^{99m}TcO_4^-$, 113
^{99m}Tc-polyphosphate, chromatographic quality control, 793
T_4, effect of ^{131}I and ^{99m}Tc administration, 279
Krypton-81m
parameters, 341
-^{81}Rb ratio, splenic blood flow, 414*
Krypton-85
cerebral blood flow, semiconductor detector, in dogs, 448*
LAMPF
production of ^{80}S, ^{123}I, ^{127}Xe, ^{129}Cs, 635*
Lanthanum
transmission scanning, thyroid, 434*
Lanthanum-140
-chloride, tumor uptake, in rats, 408*, 615
Lead-203
bone imaging, in rabbit, 872
Leg
see extremities
Limulus amoebocyte lysate test
^{131}I-HSA for intrathecal injection, 387*
Linear accelerator
^{43}K production, 931
^{193m}Pt production, 191
Line Spread Function
scanner, ^{131}I, ^{99m}Tc, ^{113m}In, 763
scanner, ^{99m}Tc, effect of whole-body immobilizer, 301
scintillation camera, collimator effect, 21
scintillation camera, positron emitters, 401*
Liver
abdominal wall venous blood pool in cirrhosis, 110
abscess imaging, ^{131}I- and ^{99m}Tc-metronidazole preparation, 461*
carcinoma metastasis, ^{87m}Sr uptake, 293
collimator comparison, 432*
decarboxylation of DOPA-carboxyl-^{14}C, in vitro, 924
differential diagnosis of jaundice, toluidine blue, 388*
differential diagnosis of lesion, ^{67}Ga-citrate, ^{99m}Tc-S colloid, 402*
disease, effect on total-body K, 40
dose estimates, Ga isotopes, MIRD, 755
extraosseous osteogenic sarcoma, ^{18}F scan, 295
false-positive scan, ^{99m}Tc, extrinsic object, 189
focal disease differentiation, ^{67}Ga, 452*
focal uptake, ^{99m}Tc-S colloid, 175, 348, 354, 606, 612, 883
Fresnel zone plate imaging, 393*
function studies after jejuno-ileal bypass surgery, 390*

^{67}Ga-labeled compounds, kinetics, in mice, 164
homotransplant evaluation, ^{99m}Tc-S colloid, ^{131}I rose bengal, 382*
^{123}I-bromsulphalein, preparation, imaging, in animals, 820
^{131}I-T_4-glucuronide and -rose bengal metabolism, in rats, 34
image, caval-portal shunting effect, ^{99m}Tc-S colloid, 348
imaging, correlation with biopsy, 484
image, correlation with ultrasound, 27
image, hepatic infarct, ^{99m}Tc-S colloid, 858
imaging, portable camera, 585
^{111}In-Bleomycin uptake, in mice, 401*
-lung scan, lung overlap sign, 438*
phantom, detection efficiency of scan agents, 763
radiation dose, ^{75}Se-selenomethionine, 49
radiation therapy, effect on spleen size, 939
radioimmunoassay for hepatitis associated antigen, 417*
radioiodinated streptokinase distribution, in animals, 623*
regeneration following hepatectomy, 454*
size, effect of splenectomy, 854
size, ^{99m}Tc-S colloid, 390*
-spleen scan, pancreatic pseudocyst diagnosis, 107
^{87m}Sr-Ca-phosphate complex, imaging, in dogs, 346
^{99m}Tc-Bleomycin distribution, in mice, 422*
^{99m}Tc-mercaptides, distribution, in animals, 411*
^{99m}TcO$_4^-$ binding, in vitro, 149
^{99m}TcO$_4^-$ distribution, effect of Sn(II), in rats, 428*
^{99m}Tc-S colloid, extrahepatic uptake, 201, 415*, 537, 687, 711, 757
^{99m}Tc-S colloid lung uptake, in rats, 443
^{99m}Tc-Sn-phylate, preparation, distribution, in animals, 459*
^{99m}Tc-tetracycline binding, in vitro, 391*
to background ratio, 636*
tomography, image artifacts, 103
transplant, ^{131}I-rose bengal metabolism, in dogs, 465*
transplant, lung uptake of ^{99m}Tc-S colloid, 757

Liver, blood flow
bolus ^{99m}Tc-S colloid, preparation, 230, 477*
differential diagnosis of lesions, ^{67}Ga, 452*
^{113m}In, 565
hemorrhoidal vein injection, in dogs, 384*
portal vein, streamline flow, 79
^{99m}Tc-S colloid, 250

LSF
see Line spread function

Lung
aerosols, small particle, 630*
albumin, MAA effect on circulation, in dogs, 375*
arteriography and scan, ^{99m}Tc- and ^{131}I-MAA, 631*
blockage, microspheres, phantom, 579
bronchial mucous transport following autotransplant, in dogs, 432*
carcinoma, bone metastases, ^{18}F, 451*
carcinoma, ^{67}Ga-citrate scans, 208
carcinoma, superior vena cava obstruction, ^{99m}TcO$_4^-$, 477*
cardiopulmonary circulation, mathematical model, 385*
caval blood distribution, ^{131}I-MAA, 870
caval-portal shunting, 348, 883
emergency imaging, efficiency, 460*
extravascular water, H^{15}O- and ^{11}CO-red cells, ^{13}N$_2$, in vitro, dog, 414*
^{59}Fe-iron hydroxide retention, 437*
function in narcotics addicts, ^{133}Xe, ^{99m}Tc-microspheres, 455*
^{131}I-MAA retention in asthma, 837
imaging, portable camera, 585
^{111}In-Bleomycin uptake, in mice, 401*
K exchange and Na distribution, in disease, 459*
malignancy, carcinembryonic antigen titer, 424*
overlap sign in liver-lung scan, 438*
perfusion in cystic fibrosis, 326
pneumoconiosis, ^{67}Ga uptake, 466*
regional area gas exchange, ^{133}Xe, 490
^{87m}Sr uptake in occult aspergillosis, 722, 723
^{87m}Sr-Ca-phosphate complex, imaging, in dogs, 346
^{99m}Tc-Bleomycin distribution, in mice, 422*
^{99m}Tc-Fe-hydroxide, toxicity, 445*
^{99m}Tc-MAA kit evaluation, 474*, 702
^{99m}Tc-MAA scan, activity in breast milk, 51
^{99m}Tc-S colloid, effect of RES stimulation, in rats, 443*
^{99m}Tc-S colloid uptake during liver imaging, 201, 415*, 537, 687, 711, 757
tomography, ^{99m}Tc-lung aggregates, 475*
tumor imaging, ^{67}Cu, 947
tumor uptake of ^{99m}Tc-phosphate compounds, 632*
ventilation and perfusion, ^{133}Xe, ^{99m}Tc-microspheres, 412*, 427*
ventilation and perfusion, ^{133}Xe, 411*
ventilation and perfusion, ^{133}Xe, in bronchogenic carcinoma, 410*
ventilation in α_1-antitrypsin deficiency, ^{133}Xe, 5
ventilation, regional, ^{133}Xe, 453*, 725; anesthesia circuit administration, 475*; sensitivity, 447*
ventilation, ^{127}Xe, 172
^{133}Xe in saline, dual camera technique, 422*
^{133}Xe in saline, preparation, 477*
^{133}Xe gas, handling and dispensing system, 56

Lutetium-177
-citrate, tumor uptake, in rats, 408*, 615

Lymph node
^{198}Au scanning and imaging, 471*
dynamics, ^{99m}Tc-S colloid, in monkeys, 640*
^{67}Ga-citrate scans, 208
iodine content, fluorescent scan, 179

Lymphocyte
^{67}Ga uptake, effect of phytohemagglutinin, 428*
^{99m}Tc labeling, 400*

4-mercapto butanol
^{99m}Tc-, preparation, distribution, in dogs, 412*

4-mercapto 2-methyl butanol
^{99m}Tc-, preparation, distribution, in dogs, 412*

Mercury-197
-chloride, kidney dynamics, 444*
kidney studies, liver transplant evaluation, 382*
-chlormerodrin, kidney kinetics, compared to other agents, in mice, 417*

Mercury-203
beta point source distribution function, 847
-chlormerodrin, kidney position, 253

Methyl 3-mercapto proprionate
^{99m}Tc-, for liver, preparation, distribution, in dogs, 412*

Microspheres
see also Technetium-99m, microspheres; Strontium-85
albumin, labeling with ^{99m}Tc and ^{113m}In, 344
albumin, lung blockage, 579
albumin, sieving with sonification, 511
arteriovenous shunt measurement, 247, 248

MIRD
absorbed dose calculation, 876, 877
dose estimates of ^{66}Ga-, ^{67}Ga-, ^{68}Ga- and ^{72}Ga-citrate, 755
radiation dose calculation method, 53
^{75}Se-selenomethionine, radiation dose estimates, 49

Model
mathematical, myocardial perfusion, 639*
3-D, lung regional area gas exchange, 490

Modulation transfer function
Compton scatter subtraction, 67
converging collimator for scintillation camera, 433*
magnifying collimator for scintillation camera, 834
rectilinear scanner, ^{99m}Tc, ^{131}I, ^{113m}In, 763
scattering medium, 393*
scintillation camera, collimator effects, 21
scintillation camera, positron emitters, 401*

Molybedenum-99
content in "instant" ^{99m}Tc, 880
Multichannel analyzer
-scanner system, deadtime, 828
Multi-wire proportional chamber
see Proportional chamber
Muscle
^{67}Ga-labeled compounds, distribution, in mice, 164
^{67}Ga, nontuberculous psoas abscess scan, 499
^{111}In-Bleomycin distribution, in mice, 401*
^{99m}Tc-Bleomycin distribution, in mice, 433*
$^{99m}TcO_4^-$ binding, in vitro, 149
Myocardium
see Heart
Narcotics
see Drug addiction
Neohydrin
see Mercury-197; Mercury-203
Neutron activation analysis
total-body Ca, ^{37}Ar method, in animals, 522
total-body Ca in bone disease, 427*
total-body Ca, in osteoporosis, 386*
total-body Ca, in vivo, 502
Nitrogen-13
gas, extravascular lung water, in vitro, in dogs, 414*
-glutamate, compared to ^{75}Se-selenomethionine distribution, in animals, 421*
-L-glutamine, -L-glutamic acid, tumor uptake, in mice, 456*
$-NH_3$ and -glutamate, tumor uptake, in rats, 630*
$-NH_3$, cyclotron production, 629*
$-NH_3$, myocardial extraction, in dogs, 440*
$-NH_3$, myocardial ischemia imaging, 405*
$^{13}NH_4^+$, myocardial imaging, positron camera, in dogs, 181
$-NH_3$, tumor uptake, in mice, 456*
$-NH_4$, transverse section heart imaging, in dogs, 623*
positron energy effect on spatial resolution, 401*
Nomenclature
see terminology
Norepinephrine
^{14}C-, in pheochromocytomas, 781
Nuclear medicine
quality evaluation program results, 404*
Nuclear reactor
^{195m}Pt production, 191
Nucleated mammalian cells
^{99m}Tc labeling, 400*, 706
Observer performance
brain images transmitted by telephone, 376*
brain image interpretation, 850
kidney phantom, 416*
scan smoothing, 873, 874
Oleic acid
^{99m}Tc complex, preparation, myocardial imaging, in dogs, 381*
Organization
technical, nuclear medicine laboratories, 476*
Orthoiodohippurate
see Iodine-131, Hippuran
ortho (3-mercaptopropyl) phenol
^{99m}Tc-, preparation, distribution, in dogs, 412*
Ovary
^{14}C-isoxazole distribution, in carcinoma, 321
cancer, ^{67}Ga-citrate scans, 208
dose estimates, Ga isotopes, MIRD, 755
radiation dose, ^{75}Se-selenomethionine, 49
struma ovarii, 118
Oxygen-15
and ^{19}O, physiological transport, 634*
-water, extravascular lung water, in vitro, in dogs, 414*
-water, myocardial blood flow, in situ, in dogs, 429*
Oxygen-19
and ^{15}O, physiological transport, 634*
Pancreas
cancer, ^{67}Ga-citrate scans, 208
^{14}C-tripalmitin "breath test", 622*
^{125}I-iodocholesterol esters, preparation, distribution, in rats, 777
imaging, ^{75}Se-selenomethionine, stimulatory regimen, 643*
^{13}N-glutamate and ^{75}Se-selenomethionine uptake, in animals, 421*
pseudocyst diagnosis from liver-spleen scan, 107
radiation dose, ^{75}Se-selenomethionine, 49
tumor imaging, GI tract series, 246
Parathyroid
hormone, EDTA effect, radioimmunoassay, 385*
hormone production, plasma Ca effect, radioimmunoassay, 386*
Patient position
"clear plate" orientation technique, 644*
effect on spleen size and configuration, ^{99m}Tc-S colloid, 386*
motion correction device, 378*
moving table for whole-body imaging, 830
pulmonary arteriography, 631*
quantitative effect on normal brain scan, 176
whole-body immobilizer, 301
Pediatrics
adrenal imaging, ^{131}I-cholesterol, 634*
bone lesion differential diagnosis, ^{87m}Sr, 803
brain scan in Schilder's disease, $^{99m}TcO_4^-$, 291
breast milk excretion of ^{131}I and ^{99m}Tc, 51, 115
^{14}C-dopamine uptake in pheochromocytomas, 376*, 781
cardiac shunt evaluation, ^{99m}Tc-MAA, 398*
CSF shunt evaluation, ^{111}In-DTPA, 399*, 920
CSF shunt evaluation, $^{99m}TcO_4^-$, 683
^{111}In-DTPA cisternography, adverse reactions, 609
^{111}In-DTPA cisternography in hydrocephalus, 620*
^{111}In-DTPA cisternography in rhinorrhea, 631*
intracranial bleeding in newborns, ^{56}Co-RBC, 807
lung perfusion in cystic fibrosis, 326
premature craniosynostosis detection, ^{18}F, 397*
radiation therapy, Wilm's tumor, 939
^{99m}Tc-DTPA renal studies, 473*
whole-body K, 550
Perchlorate
K-, and $^{99m}TcO_4^-$, salivary gland scanning, 409*
$^{99m}TcO_4^-$ serum binding block, in vitro, 149
Phantom
bar, scintillation camera with filter plate, 14
collimator sensitivity, scanner, 474*
hyberbaric cisternography, ^{99m}Tc-albumin, 223
lung, microsphere blockage, 579
scanning parameters, 473*
scintillation camera, collimator effect, 21
thyroid, multi-wire proportional chamber imaging, ^{125}I, 441*
tomography, image artifacts, 103
whole-body Ca, neutron activation analysis, 502
Phosphorous-32
beta point source distribution function, 847
-chromic phosphate therapy in arthritis, 885
Photomultiplier
bi-alkali, scintillation camera, 21
external electric field, 379*
Photon
absorptiometry, bone disease, 386*, 402*
Placenta
abruptio placentae, $^{99m}TcO_4^-$ image, 297
distribution of fifteen agents, in animals, 651
Platinum-193m
cis-$Pt(NH_3)_2Cl_2$, distribution, dosimetry, 191

Platinum-195m
cis-$Pt(NH_3)_2Cl_2$, distribution, dosimetry, 191
Polyphosphate
see Technetium-95m; Technetium-99m, polyphosphate
Positron
energy, effect on spatial resolution, 401*
Potassium
and Ca iodate, iodization of salt, 2
replacement by Rb in depression therapy, 633*
total-body, effect of disease, 40
total-body, in infants, 550
Potassium-38
properties for dynamic studies, 359
Potassium-40
body K replacement by Rb in depression therapy, 633*
whole-body, in infants, 550
Potassium-42
beta point source distribution function, 847
K exchange and Na distribution in lung disease, 459*
myocardial perfusion, intracoronary injection, in dogs, 274
whole-body, 40
Potassium-43
coronary bypass graft, serial imaging, 454*
cyclotron production, 433*
heart studies following myocardial resection, 638*
myocardial imaging, 440*
myocardial imaging, in dogs, 274
myocardial ischemia and infarction, in dogs, 443*
myocardial scan in schemia, 458*
physical properties, 243
production, linear accelerator, 931
Potassium-iodide
$^{99m}TcO_4^-$ serum binding, in vitro, 149
Praseodymium-144
beta point source distribution function, 847
Prednisone
$^{99m}TcO_4^-$ serum binding, in vitro, 149
Proportional chamber
pressurized multiwire, 620*
multi-wire, 441*
Propylthiouracil
$^{99m}TcO_4^-$ serum binding, in vitro, 149
Protein
α_1-antitrypsin deficiency, lung studies, 5
binding of $^{99m}TcO_4^-$, 149
Pyrogen
^{131}I-HSA, intrathecal injection, 387*
limulus amoebocyte lysate test, 387*
radiopharmaceutical sterilization device, 126
Pyrophosphate
see Technetium-99m
Quality control
chromatography of ^{99m}Tc compounds, 793
radiopharmaceutical kits, 362, 364
$^{99m}TcO_4^-$, "instant", ^{99}Mo content, 880
^{99m}Tc-S colloid, 468*
Radiation damage
spleen, ^{90}Yt therapy for lymphoma, 619*
Radiation dose
calculation, 53, 876, 877
cis-$Pt(NH_3)_2Cl_2$, ^{193m}Pt-, ^{195m}Pt-, 191
estimates, ^{66}Ga-, ^{67}Ga-, ^{68}Ga-, and ^{72}Ga-citrate, MIRD, 755
^{67}Ga, whole-body retention, 840
handling ^{129}Cs targets, 471*
hyperthyrodism after ^{131}I therapy, 377*
^{131}I-MAA, prolonged lung retention in asthma, 837
^{131}I thyroid therapy, effect of rapid I turnover, 379*
^{131}I-19-iodocholesterol, 416*, 713
kidney agents, 417*
myocardial agents, 243
^{203}Pb for bone imaging, 872
personnel, 382*
^{75}Se-selenomethionine, MIRD, 49
^{99m}Tc-MAA, 702
^{99m}Tc-MAA lung scan, breast milk activity, 51
^{99m}Tc-polyphosphate, 469*
^{99m}Tc-Sn-EHDP, 73, 464*
^{127}Xe lung studies, 172
Radiobioassay
antigen and antibody in leukocytes, 420*
Radioimmunoassay
see also Immunoassay
alpha-fetoprotein, 466*
digoxin, clinical evaluation, 531
Editorial, 549
hepatitis associated antigen, compared to counterelectrophoresis, 417*
parathyroid hormone production, effect of plasma Ca level, 386*
parathyroid hormone level, effect of EDTA, 385*
plasma renin activity, effect of inhibitor concentration, 872, 873
serum and red cell folate, 633*
serum thyroxine, 317
thyrotropin, management of thyroid carcinoma, 900
Radiopharmaceutical
see specific radionuclide; Quality Control
sterilization device, 126
Record keeping
computer data manipulation program, 398*
computer, multi-machine, 447*
computer system, 448*, 470*
digital tape recorder, scintillation camera, 699
image storage system, scintillation camera, 465*
photographic film comparisons, 472*
Picturephone® transmission of brain images, 376*
35 mm film system, 588
Red blood cell
^{56}Co-, timing intracranial bleeding in newborns, 807
^{51}Cr-, and ^{51}Ca-platelet survival in lymphocytic leukemia, 219
$H_2{}^{15}O$- and ^{11}Co-, extravascular lung water, in vitro, in dogs, 414*
production in spleen, quantitative measurement, ^{59}Fe, 424*
^{81}Rb-, splenic blood flow, 414*
^{99m}Tc-, distribution in pregnancy, in animals, 651
^{99m}Tc-, for red cell volume, 871
^{99m}Tc-, spleen red cell volume and scan, 769
$^{99m}TcO_4^-$ binding, in vitro, 149
$^{99m}TcO_4^-$ distribution, effect of Sn(II), in rats, 428*
Resolution
camera, uncoated crystal, 379*
collimator comparison, 432*
depth, multiprobe collimator, scintillation camera, 389*
magnifying collimator for scintillation camera, 834
nonuniform field, deadtime evaluation, camera, 642*
parameters of scan quality, 473*
pinhole and multihole converging collimators, 432*
scintillation camera, collimator effects, 21
scintillation camera, filter plate, 14
spatial distortion in scintillation camera, 383*, 413*
spatial, effect of positron energy, 401*
spatial, liquid Xe scintillation camera, 645*
spatial, multi-wire proportional chamber, 441*
whole-body bone imaging, ^{99m}Tc-polyphosphate, 830
^{133}Xe regional myocardial perfusion, in dogs, 669
Rhodium-106
beta point source distribution function, 847
Rose bengal
^{131}I-, metabolism, in rat, 34
^{131}I-, metabolism, liver transplant, in dogs, 465*
radio-, jaundice type differentiation, 388*

Rubidium
replacement of K in depression therapy, 633*
Rubidium-81
^{81m}Ka ratio, spleen blood flow, 414*
Rubidium-82
parameters, 341
Rubidium-86
myocardial perfusion, in dogs, 274
Salivary glands
absorption and excretion of $^{99m}TcO_4^-$, 331
scanning, $^{99m}TcO_4^-$, 409*
Salt
NaCl, iodization, 2
Samarium-153
tumor uptake, in rats, 408*, 615
Scanner, profile
optimization, ^{99m}Tc, 895
Scanner, rectilinear
collimator sensitivity, 474*
compared to camera for ^{99m}Tc-polyphosphate bone studies, 419*
comparison of liver agents, 763
-computer, multi-machine, 447*
deadtime losses, 828
^{67}Ga window, 361
quantitative analysis of brain scans, 176
scan image improvement techniques, 621*
Scanning
"clear plate" orientation technique, 644*
parameters, 473*
scan minification, 361, 362
transverse section, orthogonal tangent correction, 196
Scatter
Compton, effect reduction, 67, 878, 879
medium, MTF, 393*
Selenium-75
nuclear parameters, 49
Selenium-75, selenomethionine
distribution compared to ^{13}N-glutamate, in animals, 421*
intrahepatic focal lesion in hepatitis, 612
liver lesion differentiation, 565
pancreas imaging, 246, 247
pancreas imaging, stimulatory regimen, 643*
radiation dose, MIRD, 49
Selenium-77m
parameters, 341
Semiconductor detector
cerebral blood flow, ^{85}Kr, in dogs, 448*
Sensitivity
collimated coincidence detection system, 627*
collimator, comparison, 432*
pinhole and multihole collimators, 432*
scintillation camera, collimator effect, 21
spatial distortion, scintillation camera, 125
Silver-109m
parameters, 341
Skin
^{67}Ga-labeled compounds, distribution, in mice, 164
^{99m}Tc-Bleomycin distribution, in mice, 422*
$^{99m}TcO_4^-$ binding, in vitro, 149
$^{99m}TcO_4^-$ uptake, effect of Sn(II), in rats, 428*
Sodium-22
Na distribution and K exchange in lung disease, 459*
Sodium-24
beta point source distribution function, 847
Sodium salicylate
serum binding $^{99m}TcO_4^-$, in vitro, 149
Sonifier
albumin microsphere sieving, 511
Spleen
blood flow, ^{81}Rb-^{81m}Kr ratio, 414*
^{51}Cr-platelet sequestration in lymphocytic leukemia, 219
damage from ^{90}Yt internal radiation, 619*
dose estimates, Ga isotopes, MIRD, 755
imaging, dynamic, ^{99m}Tc-S colloid, 463*, 582
^{111}In-Bleomycin uptake, in mice, 401*
^{111}In-chloride kinetics in hematologic disease, 456*
liver flow studies, 250
-liver scan, pancreatic pseudocyst diagnosis, 107
radiation dose, ^{75}Se-selenomethionine, 49
red cell production, ^{59}Fe, 424*
red cell volume and scan, ^{99m}Tc-RBC, 769
size, displacement, effects of patient position, 386*
size, effect of radiation therapy to liver, 939
size, ^{99m}Tc-S colloid imaging, 390*
splenectomy effect on liver size, 854
^{99m}Tc-Bleomycin distribution, in mice, 422*
^{99m}Tc-S colloid uptake, during liver scan, 537
^{99m}Tc-Sn-phytate preparation, distribution, in animals, 459*
transplant, lung uptake of ^{99m}Tc-S colloid, 201
Streptokinase
^{123}I-, ^{125}I-, ^{131}I-, distribution, in animals, 623*
^{99m}Tc-, deep vein thrombosis scan, in dogs, 233
^{99m}Tc-, preparation, 629*
Strontium-85
compared to ^{99m}Tc-polyphosphate for bone studies, 435*
compared to other bone agents, in rabbits, 426*
-microspheres, myocardial ischemia and infarction, in dogs, 443*
spatial resolution, scintillation camera, 401*
Strontium-87m
bone lesion, differential diagnosis, in children, 803
compared to other agents for bone studies, 410*, 423*
-Ca-phosphate complex, lung-liver imaging, in dogs, 346
lung uptake, occult aspergillosis, 722, 723
Paget's disease evaluation, 449*
uptake in liver metastasis, 293
Strontium-89
beta point source distribution function, 847
production, LAMPF, 635*
Strontium-90
beta point source distribution function, 847
Sulfur-35
beta point source distribution function, 847
Sulfur colloid
see Technetium-99m, sulfur colloid
Synovium
^{32}P-chromic phosphate therapy for arthritis, 885
$^{99m}TcO_4^-$ binding, in vitro, 149
Technetium-95m
-polyphosphate, -diphosphonate, -pertechnetate, retention, in dogs, 414*
Technetium-99m
aid to placement of biopsy needles and catheters, 743
-Bleomycin, electrolytic preparation, 415*
-Bleomycin, preparation, tumor imaging, 422*
-Bleomycin, tumor imaging, compared to ^{67}Ga, 431*
-colloid, imaging with multi-wire proportional chamber, in animals, 441*
Compton scatter effect reduction, 67, 878, 879
converging collimator, 433*
deadtime evaluation, scintillation camera, 642*
diphosphate, compared to ^{18}F and ^{87m}Sr, 423*
-dihydrothioctic acid, gallbladder imaging, 393*
-EDTA, electrolytic preparation, 415*
-EDTA, ferrous hydroxide, pertechnetate breast milk excretion, 115
-Fe-ascorbic acid complex, kidney kinetics, in mice, 417*
-Fe-hydroxide, fatalities following lung scans, 445*
generator shield, 383*
kidney angiography screening for hypertension, 451*
kidney blood flow, liver transplant evaluation, 382*
kits, quality control, 362, 364
mammalian nucleated cells, labeling, 400*, 706

-mercaptides, for liver studies, distribution, in animals, 411*
-methylene-diphosphonate, distribution, 640*
-metronidazole, preparation, amebic hepatic abscess imaging, 461*
-oleic acid complex, preparation, myocardial imaging, in dogs, 381*
-penicillamine, gallbladder imaging, 418*
pressurized multiwire proportional chamber, 620*
profile scanner optimization, 895
-pyrophosphate, compared to other agents for bone studies, 375*, 380*, 410*
-pyrophosphate, distribution, toxicity, in animals, 409*
-pyrophosphate, kinetics in bone studies, 642*
-pyrophosphate, soft tissue tumor uptake, 632*
radiation exposure of personnel, 382*
-RBC, distribution in pregnancy, in animals, 651
-RBC for red cell volume, 871
-RBC, spleen red cell volume and scanning, 769
residual, effect on T_4 test, 279
scintillation, collimator effects, 21
scintillation camera resolution, filter plate, 14
skull metastasis in breast cancer, 720
-Sn-citrate, electrolytic preparation, distribution, in dogs, 843
-Sn-gluconate, gel chromatography, 235
-Sn-phosphates, toxicity, 774
-Sn-phytate, preparation, RES distribution, in animals, 459*
-streptokinase, deep vein thrombosis scans, in dogs, 233
-streptokinase, preparation, 629*
-tetracycline, myocardial infarct studies, in dogs, 595
-tetracycline, necrotic tissue uptake, 391*
-tetracycline, tumor distribution, in animals, 624*
tomography, image artifacts, 103
transverse section scanning, orthogonal tangent correction, 196

Technetium-99m, albumin
bronchial mucous transport following transplant, in dogs, 432*
chromatographic quality control, 793
cisternography, hyperbaric, 223, 226
cisternography in progressive dementia, 415*
electrolytic preparation, 415*, 470*
heart, left ventricular ejection fraction, 798
heart, serial quantitative radiocardiography, 438*
-MAA, cardiac shunt evaluation, in children, 398*
-MAA kit evaluation, 474*, 702
-MAA, left brachial artery injection, 249
-MAA lung scan, breast milk activity, 51
-MAA, right-to-left cardiac shunt, in adult, 240
-MAA, segmental lung arteriography, 631*
-MAA, streamline blood flow, portal vein, 79

Technetium-99m, diphosphonate
biodegradability and toxicity, 719
bone, effect of radiation therapy, 604
bone imaging, 464*
bone metastases imaging, compared to ^{18}F and x-ray, 454*
bone studies, in animals, 73
cartilage uptake, in rats, 637*
compared to other agents for bone studies, 375*, 410*, 454*
quantitative pharmacodynamics, 624*
soft tissue tumor uptake, 632*
toxicity, 719, 774
whole-body bone scan, 546

Technetium-99m, DTPA
chromatographic quality control, 793
dual nuclide brain image with ^{113}In-chloride, 399*
free pertechnetate in kidney scan, 113
gastric emptying time, 622*
GFR, 441*
kidney mass evaluation, 442*
kidney transplant evaluation, 395
quantitative renal function, 423*
renal studies, in children, 473*
-Sn and -Fe- ascorbic acid preparations, kidney kinetics, in mice, 417*
-Sn- and -Fe- preparations, biological behavior, 248, 249

Technetium-99m, microspheres
arteriovenous shunt imaging, in dogs, 444*
electrolytic preparation, 415*
lung, emergency imaging, efficacy, 460*
lung function in narcotics addicts, 455*
lung perfusion in cystic fibrosis, 326
lung, regional perfusion, 427*
lung scan combined with ^{133}Xe ventilation, 412*
myocardial ischemia and infarction, in dogs, 443*
preparation, 344, 415*
vascular perfusion studies, 407*, 452*

Technetium-99m, pertechnetate
abruptio placentae image, 297
abscesses of the brain and thyroid, 541
administration method comparison, 331
binding in serum and tissue, in vitro, 149
brain, delayed scan time, 380*, 467*
brain image interpretation, 850
brain image, posterior fossa cyst, 944
brain imaging, in tuberous sclerosis, 215
brain imaging, perchlorate blocking dose, 543
brain imaging, rim sign, 790
brain lesion differentiation with ^{67}Ga, 463*, 903
brain scan and echoencephalography, 410*
brain scan, Schilder's disease, 291
brain scan, subdural hematoma, 283, 467*
breast milk excretion, 115
cardiac flow/volume, 395*
cerebral circulation, 142, 205, 265, 288, 558, 856
cerebral death diagnosis, 122, 856
cerebral hematoma uptake, in rats, 912
choroid plexus uptake, 352
CSF shunt evaluation, 405*, 683
distribution, effect of Sn(II), in rats, 428*
distribution in pregnancy, in animals, 651
free, from ^{99m}Tc-DTPA kit preparation, 113
GI tract absorption, 632*
GI tract series for pancreas imaging, 246
head lesion, differentiation, 412*
injection technique effect on cerebral angiogram, 205
instant, comparison of supply sources, 880
kidney, quantitative dynamic imaging, 628*
kidney transplant evaluation, 384*
lacrimal drainage apparatus imaging, 89
liver tissue culture, necrotic cell uptake, 391*
mammography, 641*
portal blood flow, in dogs, 384*
rectal absorption, in dogs, 600
salivary gland excretion, 331; scanning, 409*
struma ovarii uptake, 118
superior vena cava obstruction assessment, 477*
thyroid, simultaneous studies with ^{131}I, 785
thyroid uptake at 20 min, 907
tumor, intracellular distribution, in animals, 624*
venography, 425*, 528

Technetium-99m, polyphosphate
bone imaging and scanning, whole-body, 469*, 476*
bone imaging, whole-body, 830
bone imaging in healing, in dogs, 457*
bone imaging in Paget's disease, 928
bone scan and image comparison, 419*
bone scanning, 460*, 469*
cerebral infarction uptake, 941
chain length and bone uptake, in rats, 695
chromatographic quality control, 793
combined kidney-bone scan, 534

compared to other bone agents, 375*, 380*, 410*, 435*
distribution in pregnancy, in animals, 651
electrolytic preparation, 415*
head lesion differentiation, 412*
histological localization, 390*, 576
preparation, distribution, in rabbits, 426*
quantitative pharmacodynamics, 624*
soft tissue uptake, 632*

Technetium-99m, sulfur colloid
abdominal venous blood pool in cirrhosis, 110
aerosol, lung studies, 630*
bolus injection preparation, 230, 477*
bone marrow imaging, Paget's disease, 928
detection efficiency, phantom scans, 763
distribution in pregnancy, in animals, 651
extrahepatic uptake, in abscess, 537
hepatic infarct imaging, 858
intracardiac shunt diagnosis, with ^{133}Xe, 514
liver image, false positive, extrinsic object, 189
liver lesion differentiation, ^{113m}In, 565
liver lesion differentiation, ^{67}Ga-citrate, 402*
liver flow studies, 250
liver focal lesion uptake, 175, 348, 606, 612, 883
liver imaging, correlation with biopsy, 484
liver imaging, correlation with ultrasound, 27
liver size, effect of splenectomy, 854
liver transplant evaluation, 382*, 757
lung uptake during liver studies, 201, 415*, 687, 711, 757
lung uptake RES, stimulation, in rats, 443*
lymphatic dynamics, in monkeys, 640*
pancreas studies, 107, 247, 248
quality control, filter method, 468*
spleen, dynamic imaging, 463*, 582
spleen size, 390*
spleen size and configuration, effect of patient position, 386*

Telephone
brain image transmission, 376*

Tellurium-201
physical properties, 243

Terbium-160
tumor uptake, in rats, 408*, 615

Terminology
blood flow studies, 870

Testes
dose estimates, Ga isotopes, MIRD, 755
^{67}Ga-citrate scans of malignancy, 439*
radiation dose, ^{75}Se-selenomethionine, 49

Thallium-201
preparation, 421*

Therapy
see also Thyroid
chemotherapy effects, bone marrow scan, 407*
for depression, replacement of body K by Rb, 633*
^{32}P chromic phosphate, in arthritis, 885
radiation, effect on bone lesions, 604
radiation, to liver, effect on spleen size, 939
^{90}Yt for lymphoma, spleen damage, 619*

Thiopropylacetamide
^{99m}Tc-, preparation, distribution, in dogs, 412*

3-D
images, 628*

Thrombosis
see Blood, Vascular system

Thulium-170
-citrate, tumor uptake, in rats, 615

Thyroid
aspergillomatous abscess, 541
benzodiazepine drug effect on function studies, 472*
Ca iodate for iodization of salt, 2
effect of disease on total-body K, 40
effective thyroid ratio kit evaluation, 472*
fluorescent excitation analysis of I, 434*, 816
Fresnel zone plate imaging, $^{99m}TcO_4^-$, 393*
^{67}Ga citrate scans, 403*
hormones, ^{131}I-labeled, effect of thyrotrophin releasing hormone, 437*
^{131}I clearance, early phase, 238
imaging, collimator comparisons ^{125}I and ^{131}I, 434*
imaging, multi-wire proportional chamber, 441*, 620*
nontoxic autonomously functioning adenomata, 404*
phantom, ^{131}I, scan improvement techniques, 621*
radiation dose, ^{75}Se-selenomethionine, 49
studies in struma ovarii, 118
$^{99m}TcO_4^-$ and ^{131}I, simultaneous studies, 785
$^{99m}TcO_4^-$ binding, in vitro, 149
^{99m}Tc from ^{99m}Tc-EHDP, in rats, 637*
therapy, ^{131}I, effect of rapid iodine turnover, 379*
therapy, ^{131}I, effect on T_3 and T_4, 396*
therapy, ^{131}I, in cancer, 419*, 900
therapy, ^{131}I, resultant hypothyroidism, 377*
thyroxine binding globulin test, 392*
thyroxine, distribution of serum levels, 660
total and free thyroxine measurement, 740
T_4 screening, cost analysis, 721
T_4 test, automated, 378*
T_4 test, effect of ^{131}I and ^{99m}Tc administration, 279
T_4, denatured serum, 336
T_4, indirect indicator test, 159
T_4, radioimmuonassay, 317
uptake, ^{131}I, comparison of liquid and capsule, 507
uptake, $^{99m}TcO_4^-$, 907

Thyroxine
absorption in intestinal disease, 406*
automated T_4 test, 378*
binding globulin test, 392*
effective thyroid ratio kit evaluation, 472*
effect of benzodiazepine drugs on T_4 test, 472*
extraction efficiencies in alcohols, 826
-glucuronide, ^{131}I-, metabolism, in rat, 34
^{125}I-, serum thyroxine, denatured serum, 336
indirect indicator T_4 test, 159
serum level distribution, 660
serum, radioimmunoassay, 317
serum, screening test, cost analysis, 721
serum, test, effect of ^{131}I and ^{99m}Tc administration, 279
test in management of thyroid carcinoma, 900
test, ^{131}I therapy for hyperthyroidism, 396*
test, struma ovarii, 118
total and free, simultaneous measurement, 740

Tin
(II), effect on $^{99m}TcO_4^-$ metabolism, in rats, 428*

Toluidine blue
radio-labeled, jaundice type differentiation, 388*

Tomography
see also Scanning, transverse section
annular aperture imaging, 861
camera, ^{99m}Tc lung aggregate, 475*
^{11}C-carboxylates, preparation, distribution, in dogs, 747
image artifacts, 103
linear axial, scintillation camera, 436*
true depth resolution, 437*

Total body
see Whole body

Toxicity
and biodegradability, ^{99m}Tc-diphosphonate, 719
drug, differential diagnosis of brain death and coma, 856
effect of chemotherapy and infection on bone marrow scans, 407*
fatalities following ^{99m}Tc-Fe hydroxide lung scans, 445*
^{67}Ga-labeled compounds, in mice, 164
^{131}I-metronidazole, in animals, 461*
In chloride and hydrated In oxide, in mice, 677
MAA, in dogs, 375*
^{99m}Tc-pyrophosphate, in animals, 409*
^{99m}Tc-Sn-phosphate complexes, in animals, 774

^{99m}Tc-Sn-phytate, in animals, 459*
^{169}Yb-DTPA, intrathecal injection, in dogs, 93

Transferrin
see also Indium-111; Indium-113m
^{67}Ga uptake by tumor cells, in animals, 625*
^{111}In- and ^{59}Fe-bound, 184

Transmission
imaging, catheter placement, ^{99m}Tc, 743
liver-lung scan, lung overlap sign, 438*
photon absorption, in bone disease, 386*, 402*
scanning, thyroid, La x-rays, 434*

Transplant
bone graft, ^{99m}Tc-polyphosphate imaging, in dogs, 457*
kidney and liver, effect on lung uptake of ^{99m}Tc-S colloid, 757
kidney, evaluation $^{99m}TcO_4^-$, ^{131}I-Hippuran, 384*
kidney, non-perfused, ^{99m}Tc-DTPA, 395*
liver evaluation, ^{99m}Tc-S colloid, ^{131}I-rose bengal, 382*
liver, ^{131}I-rose bengal metabolism, in dogs, 465*
lung, bronchial mucous transport, in dogs, 432*

Triolein
^{131}I-, absorption test, 299, 300, 449*

Tritium
see Hydrogen-3

Tumor
agent, cis-Pt$(NH_3)_2Cl_2$, distribution, dosimetry, 191
astrocytoma, in tuberous sclerosis, 215
biopsy needle placement, ^{99m}Tc aid, 743
bone, differential diagnosis, ^{87m}Sr, in children, 803
brain, differential diagnosis, ^{67}Ga, $^{99m}TcO_4^-$, 463*, 903
brain, dual nuclide imaging, ^{99m}Tc-DTPA, ^{113}In-chloride, 399*
brain, image interpretation, 850
brain sarcoma, ^{67}Ga-labeled compounds, in mice, 164
breast, ^{99m}Tc mammography, 641*
bronchogenic carcinoma, bone metastases, 451*
bronchogenic carcinoma, superior vena cava obstruction, $^{99m}TcO_4^-$, 477*
bronchogenic carcinoma, ^{133}Xe studies, 410*
cancer, lung, ^{67}Cu imaging, 947
carcinoma, breast, ^{14}C-isoxazole distribution, 321
carcinoma, ^{57}Co-, ^{67}Ga-, ^{111}In-Bleomycin distribution, in mice, 917
carcinoma cells, uptake of ^{14}C and ^{51}Cr-labeled amino acids, 84
carcinoma, ^{99m}Tc-Bleomycin imaging, 422*
carcinoma, metastatic to liver, ^{87m}Sr uptake, 293
carcinoma, thyroid, ^{131}I therapy management, 900
^{11}C-dopamine hydrochloride, preparation, distribution in dogs, 377*
^{128}CsCl scanning, 635*
depth, parameters of scanning, 473*
distribution of ^{99m}Tc-tetracycline, $^{99m}TcO_4^-$, ^{67}Ga-citrate, in animals, 624*
extraosseous osteogenic sarcoma, ^{18}F scan, 295
^{67}Ga-citrate, whole-body scan, 840
^{67}Ga scans, 208
^{67}Ga uptake mechanism, in animals, 625*
head lesion differentiation, 412*
^{111}In-Bleomycin studies, 625*, 627*, 641*
^{111}In-Bleomycin, preparation, distribution, 401*
$^{111}InCl_3$ and ^{111}In-Bleomycin uptake, in mice, 637*
intracranial neoplasms, dynamic studies, $^{99m}TcO_4^-$, 430*
liver, ^{67}Ga-citrate, ^{99m}Tc-S colloid, 402*
liver, ^{99m}Tc-S colloid, ^{113m}In, 565
lung, carcinoembryonic antigen radioimmunoassay, 424*
lymphoma, lung uptake of ^{99m}Tc-S colloid, 201
melanoma, autoradiography, ^{67}Ga, 468*
melanoma, ^{67}Ga scans, 430*
$^{13}NH_3$, ^{13}N-L-glutamine, ^{13}N-L-glutamic acid uptake, in animals, 456*, 630*
nucleated mammalian cell labeling with ^{99m}Tc, 400*, 706
orbital and retro-orbital lesions, $^{99m}TcO_4^-$ imaging, 403*
ovarian, in liver flow study, 250
pheochromocytoma, ^{14}C-dopamine uptake, 376*, 781
sarcoma, radiolanthanide uptake, in rats, 615
scan agents, lanthanides, 408*
scanning, ^{125}I- and ^{131}I-anti-CEA antibody, in animals, 408*
skull metastasis in breast cancer, 720
struma ovarii, 118
^{99m}Tc-Bleomycin imaging, 431*
^{99m}Tc-Bleomycin preparation, 415*
testicular, ^{67}Ga-citrate scans, 439*
thyroid, ^{67}Ga-citrate scan, 403*
uptake of ^{99m}Tc-polyphosphate, -pyrophosphate and diphosphonate, 632*
uptake ratios, 618
Wilms', radiation therapy effects, 939
^{169}Yb-citrate, imaging, 772

Tungsten-183m
parameters, 341

T_3
effect of benzodiazepine drugs, 472*
hyperthyroidism, post ^{131}I therapy, 396*
quality evaluation program, inter-laboratory, 404*
studies in struma ovarii, 118
test in management of thyroid carcinoma, 900

T_4
see Thyroxine

Ultrasonics
correlation with liver imaging, 27
imaging, renal masses, 442*
vascular disease of the legs, 407*

Vascular system
arteriovenous shunt imaging, ^{99m}Tc-microspheres, in dogs, 444*
deep vein thrombosis scanning, ^{131}I-fibrinogen, 385*
deep vein thrombosis scanning, ^{99m}Tc-streptokinase, in dogs, 233
^{125}I- and ^{131}I-fibrinogen, preparation methods, 429*
^{123}I-, ^{125}I-, ^{131}I-streptokinase distribution, in animals, 623*
MAA, electrophoretic mobility and thrombosis affinity, 463*
peripheral perfusion scanning, ^{99m}Tc- and ^{113m}In-microspheres, 452*
^{99m}Tc-microsphere venography, in legs, 407*
^{99m}Tc-streptokinase, preparation, 629*
$^{99m}TcO_4^-$ venography, 425*, 528

Vitamin B_{12}
^{57}Co-, distribution in pregnancy, in animals, 651
^{57}Co-, Schilling test, urine collection, 692
^{57}Co-, ^{57}Co-, absorption technique, 135
^{58}Co-, ^{57}Co-B_{12}(IF), simultaneous absorption, 568
quality evaluation program, inter-laboratory, 404*

Whole body
bone imaging and scanning, ^{99m}Tc-polyphosphate, 469*
bone scan, ^{99m}Tc-diphosphonate, 546
Ca, neutron activation analysis, ^{47}Ar method, in animals, 522
Ca, neutro nactivation analysis, 386*, 427*, 502
counting for total-body K, 40
immobilizer, 301
K, infants, 550

Xenon
liquid, scintillation camera, 645*
pressurized multiwire proportional chamber, 620*

Xenon-123
cyclotron production, 733

Xenon-127
lung and brain imaging, 172
production, LAMPF, 635*

Xenon-133
anesthesia circuit administration technique, 475*
and ^{127}Xe, lung and brain imaging, 172

gas handling and dispensing system, 56
in saline, hemorrhoidal vein injection, in dogs, 384*
in saline, coronary blood flow, effect of isoproterenol, 388*
in saline, dual camera lung studies, 422*
in saline, intracardiac shunt diagnosis, with ^{99m}TcS colloid, 514
in saline, multiple dose "generator", 935
in saline, multi-wire proportional chamber imaging, in animals, 141*
in saline, preparation, 477*
in saline, regional area gas exchange in lung, 490
lung perfusion and ventilation in bronchogenic carcinoma, 410*
lung ventilation and perfusion, 411*
lung ventilation, compared to radioaerosols, 630*
lung ventilation following ^{99m}Tc-HSA microsphere scan, 412*
lung ventilation in α_1-antitrypsin deficiency, 5
lung ventilation in narcotics addicts, 455*
lung ventilation, regional, 427*, 725
lung ventilation, regional, at different lung volumes, 453*
lung ventilation studies, sensitivity, 447*
myocardial blood flow, in dogs, 429*
regional myocardial blood flow model, 639*
washout, regional myocardial perfusion, in dogs, 669

X-ray
bone lesion, differential diagnosis with ^{87m}Sr, 803
bone metastases, compared to imaging with ^{18}F and ^{99m}Tc-Sn-EHDP, 454*
fluorescent excitation analysis of Br for extracellular fluid volume, 812
fluorescent excitation analysis, I in thyroid, 434*, 816
Paget's disease, ^{18}F scan comparison, 464*

Ytterbium-169
-Ca-DTPA, cisternography, 59
-chloride, tumor uptake, in rats, 615
-citrate, tumor imaging, 772
-citrate, tumor scanning, 408*
-DTPA, cisternography compared to ^{131}I-HSA, 405*, 765
-DTPA, cisternography in viral meningitis, in dogs, 638*
-DTPA, cisternography, posterior fossa cyst, 944
-DTPA, intrathecal injection, biological behavior, in dogs, 93
-DTPA, kidney kinetics, in mice, 417*

Yttrium-90
beta point source distribution function, 847
lymphoma therapy, spleen damage, 619*

Zinc-169
concentration in eye, 435*